

Tables + Accessories for the Government of Canada

Pricing effective January 1, 2023 - Canada

Revised March 31, 2024



KISIK COMMERCIAL
FURNITURE

Authorized Distributor

Supply Arrangement No: E60PQ-140003/004/PQ

Call: 204-949-0646 or Email: info@kisik.biz

PRICE LIST
desking + tables



think global

THE GLOBAL EDGE

ERGONOMICS IN THE OFFICE

- Full range of ergonomically designed workplace, healthcare and office furniture with competitive pricing and built-in value.

STRENGTH AND STABILITY

- Established in 1966.
- One of North America's largest office furniture manufacturers.
- Manufacturing and showrooms worldwide.

STRONG LOCAL REPRESENTATION

- Service and expert advice where you are, when you need it!

MANUFACTURING CAPABILITY

- Vertical integration ensures "start to finish" control.
- Ongoing research and investment in new, innovative production technology.

QUALITY ASSURANCE

- The quality program is registered to ISO 9001.
- On-site furniture testing facility.
- Products and components are tested to meet or exceed ANSI/BIFMA standards.
- Products backed by Global's Limited Lifetime Warranty.

ENVIRONMENTAL COMMITMENT

- Continuous development of "earth friendly" programs.
- One of the first molded foam manufacturers to create ozone-friendly, CFC and HFC-free processes.
- Many seat and back pans are made from recyclable plastics and wood waste, enabling little waste and cost effective products.

TABLE OF CONTENTS

WORKPLACE

TABLES - CAFÉ, MEETING & CONFERENCE

Swap16

Zira boardroom tables.....5

REFERENCE

Finishes94

Terms and Conditions.....97

Lifetime Warranty100

Index.....101

TABLES - TRAINING

Bungee44

Junction.....56

TABLES - RECEPTION & OCCASIONAL

Citi64

Cylinder and cube occasional tables65

River+67

Sirena69

Soda70

Wind.....71

PRODUCTIVITY SOLUTIONS by Global

Keyboard trays80

Manual height adjustable tables.....75

Monitor arms.....78

Newland height adjustable base.....92

Newland pedestals93

Office accessories.....90

Power/data.....83

Productivity Solutions74

CAFETERIA TABLES

Swap16

CLASSROOM + LAB TABLES

Bungee44

Junction.....56

LOUNGE TABLES

Citi64

Sirena69

Swap16

Wind.....71

MEETING + COLLABORATIVE TABLES

Bungee44

Swap16

Zira5

MOBILE TABLES

Bungee44

Junction.....56

ACCESSORIES

Keyboard mechanisms81

Keyboard trays80

Monitor arms.....78

Office accessories90

Power solutions.....83

tables

café, meeting and conference



Zira

5



Swap

16




TOP AND BASE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

BASE TRIM FINISHES

BRC	Brushed Cobalt
BLK	Black



TOP THICKNESS/EDGE DETAIL




C3 1.5" top, standard flat edge

BASES

- 2 doors on base for wire management access from both sides.
- Because of base sizes, custom width less than 96" cannot be accommodated.

TOPS

- 96" tops are standard in one piece. All tops 120", 144" and 168" tops are standard in two equal size pieces. Woodgrain laminate finishes may NOT align where the two tops join. Tops 192" and larger are standard in 3 equal pieces.
- 96" tops are standard with **two bases**.
- Tops 120", 144" and 168" are standard with **three bases**.
- Tops 169" to 288" and larger are standard with **four bases**.
- **Five** top shapes: **boat shaped, bow end, rectangular, racetrack** and **wedge**.



POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

PRTMCS401B
PRTMCS401T
PRTMCS401W
PRTMCS421B
PRTMCS421T
PRTMCS421W



PRTMCD602B
PRTMCD602T
PRTMCD602W
PRTMCD622B
PRTMCD622T
PRTMCD622W
PRTMCD642B
PRTMCD642T
PRTMCD642W



- For **Square, Media** and **Collaborative Tables**, please refer to the electronic Zira Design Guide found on the Global website under Brochures.





CUT-OUTS

- **Boardroom** and **collaborative tables** offer optional cut-outs for in-surface mounted power modules in three standard locations - left, center or right (R1, R2, R3 or T1, T2, T3 as per above grid) for all table shapes excluding square boardroom tables. **Add \$91** for each cut-out.
- Cut-out options for **square boardroom tables** in centered position only - R2 or T2. **Add \$91**.
- Cut-out options for **media tables** in position 1 only - R1 or T1. **Add \$91**.
- Cut-outs may be placed at non-standard locations. Please submit a NON-STANDARD CUT-OUT request form with your order. Forms can be found on the Global Dealer Center under "Specials".
- Available power modules are listed on pages 83-85.
- Be sure to specify matching power module with corresponding cut-out codes (as per above grid). Cut-out size(s) and orientation(s) are specific to the power module(s).
- Refer to **Zira Boardroom Design Guide** online for more information.






TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Rectangular	Bow End	Boat	Racetrack
48 x 96	6-8	6-8	6-8	6-8
48 x 120	8-10	8-10	8-10	8-10
48 x 144	10-12	10-12	10-12	10-12
48 x 168	12-14	12-14	12-14	12-14
48 x 192	14-16	14-16	14-16	14-16
48 x 216	16-18	16-18	16-18	16-18
48 x 240	18-20	18-20	18-20	18-20
48 x 264	20-22	20-22	20-22	20-22
48 x 288	22-24	22-24	22-24	22-24

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)				
	Z3636SQ (HP)	36 x 36 x 30	129	10	\$3025
	Z4242SQ (HP)	42 x 42 x 30	165.5	13.5	\$3518
	Z4848SQ (HP)	48 x 48 x 30	190	14.25	\$3905
	Z5454SQ (HP)	54 x 54 x 30	262	21.25	\$4448
	Z6060SQ (HP)	60 x 60 x 30	300	22.75	\$4871
Square table includes one base with wire access doors on each side of base. Shipped easy to assemble in 2 cartons.					
	Z4896BE (HP)	96 x 48 x 30	342	22	\$4513
	Boat shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.				
	Z6096BE (HP)	96 x 60 x 30	432	35.5	\$8565
	Boat shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.				
	Z48120BE (HP)	120 x 48 x 30	452	28.3	\$6316
	Z48144BE (HP)	144 x 48 x 30	502	30.5	\$6601
	Z48168BE (HP)	168 x 48 x 30	557	37.25	\$8365
	Boat shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144BE and Z48120BE shipped easy to assemble in 4 cartons. Z48168BE shipped easy to assemble in 5 cartons.				

Required specifications	Optional specifications	Accessories
Top finish Edge detail Base finish Base trim finish	Cut-out for power block	Power block

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		W x D x H (1.5" TOP)			
	Z60120BE (HP)	120 x 60 x 30	599	48.5	\$12629
	Z60144BE (HP)	144 x 60 x 30	664.65	53.25	\$13738
	Z60168BE (HP)	168 x 60 x 30	741.3	58	\$14994
Boat shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.					
	Z48192BE (HP)	192 x 48 x 30	688	45.75	\$10279
	Z48216BE (HP)	216 x 48 x 30	746	48.75	\$10904
	Z48240BE (HP)	240 x 48 x 30	803	51.75	\$11692
	Z48264BE (HP)	264 x 48 x 30	855	54.75	\$12476
	Z48288BE (HP)	288 x 48 x 30	906	57.75	\$12706
Boat shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z60192BE (HP)	192 x 60 x 30	912.45	71.25	\$18589
	Z60216BE (HP)	216 x 60 x 30	980.7	76	\$19815
	Z60240BE (HP)	240 x 60 x 30	1062.6	81	\$20878
	Z60264BE (HP)	264 x 60 x 30	1129.8	85.75	\$21911
	Z60288BE (HP)	288 x 60 x 30	1198.05	90.5	\$23366
Boat shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z4896RTE (HP)	96 x 48 x 30	336	22	\$4413
Racetrack shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.					
	Z48120RTE (HP)	120 x 48 x 30	453	28.3	\$6009
	Z48144RTE (HP)	144 x 48 x 30	506	30.5	\$6563
	Z48168RTE (HP)	168 x 48 x 30	563	37.25	\$8406
Racetrack shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144RTE and Z48120RTE shipped easy to assemble in 4 cartons. Z48168RTE shipped easy to assemble in 5 cartons.					

Required specifications

Top finish
Edge detail
Base finish
Base trim finish

Optional specifications


Cut-out for power block

Accessories

Power block

Z ZIRA™ BOARDROOM

BOARDROOM TABLES




Boardroom Table - Racetrack

MODEL # DIMENSIONS WT/LB. CUBIC FT. 1.5" HP TOP

W x D x H (1.5" TOP)

Z60120RTE (HP)	120 x 60 x 30	585.9	48.5	\$12629
Z60144RTE (HP)	144 x 60 x 30	656.25	53.25	\$13738
Z60168RTE (HP)	168 x 60 x 30	737.1	58	\$14994


Racetrack shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.



Boardroom Table - Racetrack

Z48192RTE (HP)	192 x 48 x 30	689	45.75	\$10318
Z48216RTE (HP)	216 x 48 x 30	749	48.75	\$10945
Z48240RTE (HP)	240 x 48 x 30	809	51.75	\$11732
Z48264RTE (HP)	264 x 48 x 30	862	54.75	\$12518
Z48288RTE (HP)	288 x 48 x 30	917	57.75	\$12748


Racetrack shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Racetrack

Z60192RTE (HP)	192 x 60 x 30	901.95	71.25	\$18589
Z60216RTE (HP)	216 x 60 x 30	972.3	76	\$19815
Z60240RTE (HP)	240 x 60 x 30	1057.35	81	\$20878
Z60264RTE (HP)	264 x 60 x 30	1127.7	85.75	\$21911
Z60288RTE (HP)	288 x 60 x 30	1198.05	90.5	\$23366


Racetrack shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Rectangular

Z4896REE (HP)	96 x 48 x 30	356	22	\$4497
---------------	--------------	-----	----	---------------


Rectangular shaped table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.



Boardroom Table - Rectangular

Z48120REE (HP)	120 x 48 x 30	472	28.3	\$5994
Z48144REE (HP)	144 x 48 x 30	525	30.5	\$6571
Z48168REE (HP)	168 x 48 x 30	583	37.25	\$8305

Rectangular shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144REE and Z48120REE shipped easy to assemble in 4 cartons. Z48168REE shipped easy to assemble in 5 cartons.



Boardroom Table - Rectangular

Z60120REE (HP)	120 x 60 x 30	618	48.5	\$11712
Z60144REE (HP)	144 x 60 x 30	688	53.25	\$12759
Z60168REE (HP)	168 x 60 x 30	769	58	\$13928

Rectangular shaped table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.

Required specifications







Top finish
Edge detail
Base finish
Base trim finish

Optional specifications

Cut-out for power block

Accessories

Power block

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)				
	Z48192REE (HP)	192 x 48 x 30	708	45.75	\$10221
	Z48216REE (HP)	216 x 48 x 30	768	48.75	\$10845
	Z48240REE (HP)	240 x 48 x 30	828	51.75	\$11632
	Z48264REE (HP)	264 x 48 x 30	882	54.75	\$12418
	Z48288REE (HP)	288 x 48 x 30	936	57.75	\$12648
Rectangular shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z60192REE (HP)	192 x 60 x 30	941.85	71.25	\$12648
	Z60216REE (HP)	216 x 60 x 30	1003.8	76	\$18415
	Z60240REE (HP)	240 x 60 x 30	1088.85	81	\$19414
	Z60264REE (HP)	264 x 60 x 30	1159.2	85.75	\$20382
	Z60288REE (HP)	288 x 60 x 30	1229.55	90.5	\$21730
Rectangular shaped table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					
	Z4896BW (HP)	96 x 48 x 30	329	22	\$4623
	Bow end table includes two bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 3 cartons.				
	Z48120BW (HP)	120 x 48 x 30	476	28.3	\$6084
	Z48144BW (HP)	144 x 48 x 30	513	30.5	\$6664
	Z48168BW (HP)	168 x 48 x 30	573	37.25	\$8336
Bow end table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Z48144BW and Z48120BW shipped easy to assemble in 4 cartons. Z48168BW shipped easy to assemble in 5 cartons.					
	Z60120BW (HP)	120 x 60 x 30	602	48.5	\$12629
	Z60144BW (HP)	144 x 60 x 30	673	53.25	\$13738
	Z60168BW (HP)	168 x 60 x 30	753	58	\$14994
Bow end table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 5 cartons.					
	Z48192BW (HP)	192 x 48 x 30	698	45.75	\$10250
	Z48216BW (HP)	216 x 48 x 30	758	48.75	\$10875
	Z48240BW (HP)	240 x 48 x 30	818	51.75	\$11662
	Z48264BW (HP)	264 x 48 x 30	872	54.75	\$12448
	Z48288BW (HP)	288 x 48 x 30	926	57.75	\$12678
Bow end table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.					

Required specifications

Top finish
Edge detail
Base finish
Base trim finish


Optional specifications

Cut-out for power block

Accessories

Power block

BOARDROOM TABLES




Boardroom Table - Bow End

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
---------	------------	--------	-----------	-------------

W x D x H (1.5" TOP)

Z60192BW (HP)	192 x 60 x 30	917.7	71.25	\$18589
Z60216BW (HP)	216 x 60 x 30	988.05	76	\$19815
Z60240BW (HP)	240 x 60 x 30	1073.1	81	\$20878
Z60264BW (HP)	264 x 60 x 30	1143.45	85.75	\$21911
Z60288BW (HP)	288 x 60 x 30	1213.8	90.5	\$23366


Bow end table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Shipped easy to assemble in 7 cartons.



Boardroom Table - Wedge

Z60120WE (HP)	120 x 60 x 30	544.95	36.5	\$12629
Z60144WE (HP)	144 x 60 x 30	603.75	39.5	\$13738
Z60168WE (HP)	168 x 60 x 30	673.05	42.5	\$14994

Wedge table includes three bases with wire access doors on each side of base and wire concealment runners between bases. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 5 cartons.




Boardroom Table - Wedge

Z60192WE (HP)	192 x 60 x 30	824.25	63.75	\$18589
Z60216WE (HP)	216 x 60 x 30	884.1	68.25	\$19815
Z60240WE (HP)	240 x 60 x 30	948.15	73	\$20878
Z60264WE (HP)	264 x 60 x 30	1006.95	77.5	\$21911
Z60288WE (HP)	288 x 60 x 30	1065.75	82	\$23366

Wedge table includes four bases with wire access doors on each side of base and wire concealment runners between bases. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 7 cartons.


MEDIA TABLES



Media Table - D Island

Z4860DMIL (HP)	60 x 48 x 30	267	17.75	\$5178
Z4872DMIL (HP)	72 x 48 x 30	298.2	19.75	\$5634
Z4884DMIL (HP)	84 x 48 x 30	326.55	21.5	\$6080
Z4896DMIL (HP)	96 x 48 x 30	347.55	23.5	\$6523

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.



Media Table - D Island

Z6060DMIL (HP)	60 x 60 x 30	323.92	23.25	\$6240
Z6072DMIL (HP)	72 x 60 x 30	359.1	25.75	\$6787
Z6084DMIL (HP)	84 x 60 x 30	397.95	28	\$7351
Z6096DMIL (HP)	96 x 60 x 30	433.65	30.5	\$7880

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Required specifications






Top finish
Edge detail
Base finish
Base trim finish

Optional specifications

Cut-out for power block

Accessories

Power block

BOARDROOM TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		W x D x H (1.5" TOP)			
	Z6060VMIL (HP)	60 x 60 x 30	306.6	20.75	\$6240
	Z6072VMIL (HP)	72 x 60 x 30	338.1	23	\$6787
	Z6084VMIL (HP)	84 x 60 x 30	374.85	25.5	\$7351
	Z6096VMIL (HP)	96 x 60 x 30	407.4	28	\$7880
<p>Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.</p>					
	Z4860RMIL (HP)	60 x 48 x 30	279.3	17.75	\$4818
	Z4872RMIL (HP)	72 x 48 x 30	307.65	19.75	\$5250
	Z4884RMIL (HP)	84 x 48 x 30	337.05	21.5	\$5664
	Z4896RMIL (HP)	96 x 48 x 30	357	23.5	\$6082
<p>Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					
	Z6060RMIL (HP)	60 x 60 x 30	339.15	23.25	\$5803
	Z6072RMIL (HP)	72 x 60 x 30	373.8	25.75	\$6317
	Z6084RMIL (HP)	84 x 60 x 30	414.75	28	\$6843
	Z6096RMIL (HP)	96 x 60 x 30	449.4	30.5	\$7339
<p>Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					
	Z4860DMIM (HP)	60 x 48 x 36.5	291.9	19.25	\$5590
	Z4872DMIM (HP)	72 x 48 x 36.5	321.3	21.25	\$6053
	Z4884DMIM (HP)	84 x 48 x 36.5	349.65	23	\$6499
	Z4896DMIM (HP)	96 x 48 x 36.5	370.65	25	\$6939
<p>D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					
	Z6060DMIM (HP)	60 x 60 x 36.5	352.27	25.5	\$6654
	Z6072DMIM (HP)	72 x 60 x 36.5	386.4	27.75	\$7201
	Z6084DMIM (HP)	84 x 60 x 36.5	426.3	30.25	\$7765
	Z6096DMIM (HP)	96 x 60 x 36.5	462	32.75	\$8291
<p>D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.</p>					

Required specifications






Top finish
Edge detail
Base finish
Base trim finish

Optional specifications

Cut-out for power block

Accessories

Power block

MEDIA TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
	W x D x H (1.5" TOP)				
	Z6060WMIM (HP)	60 x 60 x 36.5	331.8	22.25	\$6654
	Z6072WMIM (HP)	72 x 60 x 36.5	364.35	24.75	\$7201
	Z6084WMIM (HP)	84 x 60 x 36.5	424.2	27	\$7765
	Z6096WMIM (HP)	96 x 60 x 36.5	432.6	29.5	\$8291
	Z4860RMIM (HP)	60 x 48 x 36.5	301.35	19.25	\$5195
	Z4872RMIM (HP)	72 x 48 x 36.5	330.75	21.25	\$5628
	Z4884RMIM (HP)	84 x 48 x 36.5	360.15	23	\$6044
	Z4896RMIM (HP)	96 x 48 x 36.5	380.1	25	\$6460
	Z6060RMIM (HP)	60 x 60 x 36.5	367.5	25.5	\$6177
	Z6072RMIM (HP)	72 x 60 x 36.5	402.15	27.75	\$6689
	Z6084RMIM (HP)	84 x 60 x 36.5	442.05	30.25	\$7216
	Z6096RMIM (HP)	96 x 60 x 36.5	477.75	32.75	\$7711
	Z4860DMIH (HP)	60 x 48 x 42.5	312.9	20.75	\$5904
	Z4872DMIH (HP)	72 x 48 x 42.5	342.3	22.75	\$6367
	Z4884DMIH (HP)	84 x 48 x 42.5	371.7	24.5	\$6812
	Z4896DMIH (HP)	96 x 48 x 42.5	391.65	26.5	\$7252
	Z6060DMIH (HP)	60 x 60 x 42.5	378	27.5	\$6968
	Z6072DMIH (HP)	72 x 60 x 42.5	413.7	30	\$7514
	Z6084DMIH (HP)	84 x 60 x 42.5	453.6	32.5	\$8078
	Z6096DMIH (HP)	96 x 60 x 42.5	488.25	35	\$8606

Media Table - Wedge, 36.5"H

Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.

Media Table - Rectangular Island, 36.5"H

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Media Table - Rectangular Island, 36.5"H

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Media Table - D Island, 42.5"H

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Media Table - D Island, 42.5"H

D media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

Required specifications


Top finish
Edge detail
Base finish
Base trim finish

Optional specifications

Cut-out for power block


Accessories

Power block

MEDIA TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
W x D x H (1.5" TOP)					
	Z6060VMIH (HP)	60 x 60 x 42.5	355	24	\$6968
	Z6072VMIH (HP)	72 x 60 x 42.5	387	26.25	\$7514
	Z6084VMIH (HP)	84 x 60 x 42.5	424	28.75	\$8078
	Z6096VMIH (HP)	96 x 60 x 42.5	457	31.25	\$8606

Media Table - Wedge, 42.5"H


Wedge media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"W to 48"W. Shipped easy to assemble in 3 cartons.



Media Table - Rectangular Island, 42.5"H

Z4860RMIH (HP)	60 x 48 x 42.5	324	20.75	\$5480
Z4872RMIH (HP)	72 x 48 x 42.5	353	22.75	\$5912
Z4884RMIH (HP)	84 x 48 x 42.5	382	24.5	\$6329
Z4896RMIH (HP)	96 x 48 x 42.5	402	26.5	\$6747

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.




Media Table - Rectangular Island, 42.5"H

Z6060RMIH (HP)	60 x 60 x 42.5	394	27.5	\$6462
Z6072RMIH (HP)	72 x 60 x 42.5	429	30	\$6974
Z6084RMIH (HP)	84 x 60 x 42.5	469	32.5	\$7501
Z6096RMIH (HP)	96 x 60 x 42.5	504	35	\$7997

Rectangular media island table includes one base with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble in 3 cartons.

METAL BASE COVERS FOR MEDIA TABLES LIST PRICE




Metal Base Cover for Media Tables

Z48BEC	22.5 x 12.2 x 4.3	5	1.5	\$513
Z60BEC	34.5 x 12.2 x 4.3	6	2	\$561

For use on Zira media tables. Can also be used on any Zira boardroom table of corresponding width. Acts as a cap at the upper part of a base to hide any wire or power block that may be visible to users. Available in Black or Silver finish. Shipped easy to assemble in 1 carton.

COLLABORATIVE TABLES



Collaborative Table, 30"H

W x D x H (1.5" TOP)					
Z367229BT (HP)	72 x 36 x 30	237	13	\$2834	
Z368429BT (HP)	84 x 36 x 30	263	14.75	\$3302	
Z369629BT (HP)	96 x 36 x 30	289	16.5	\$3613	

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.

Required specifications






Top finish
Edge detail
Base finish
Base trim finish

Optional specifications





Cut-out for power block

Accessories

Power block

COLLABORATIVE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	1.5" HP TOP
		W x D x H (1.5" TOP)			
	Z487229BT (HP)	72 x 48 x 30	302	14	\$3604
	Z488429BT (HP)	84 x 48 x 30	335	15.75	\$3954
	Z489629BT (HP)	96 x 48 x 30	360	17.5	\$4342
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z367236BT (HP)	72 x 36 x 36.5	249	13.25	\$2914
	Z368436BT (HP)	84 x 36 x 36.5	275	15	\$3383
	Z369636BT (HP)	96 x 36 x 36.5	301	16.75	\$3702
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z487236BT (HP)	72 x 48 x 36.5	319	14.5	\$3714
	Z488436BT (HP)	84 x 48 x 36.5	351	16.25	\$4064
	Z489636BT (HP)	96 x 48 x 36.5	376	18	\$4453
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z367242BT (HP)	72 x 36 x 42.5	283	14.25	\$3187
	Z368442BT (HP)	84 x 36 x 42.5	312	16	\$3686
	Z369642BT (HP)	96 x 36 x 42.5	342	18	\$4034
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				
	Z487242BT (HP)	72 x 48 x 42.5	356	15.5	\$4010
	Z488442BT (HP)	84 x 48 x 42.5	392	17.5	\$4392
	Z489642BT (HP)	96 x 48 x 42.5	421	19.25	\$4807
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped easy to assemble in 3 cartons.				

Required specifications	Optional specifications	Accessories
Top finish	Cut-out for power block	Power block
Edge detail		
Base finish		
Base trim finish		

ACCESSORIES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
 <p>Visual Board*</p>		W x D x H				
	Z361872VB	36 x 18 x 72.4	187	26.5	\$2698	N/A
<p>Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped easy to assemble in 2 cartons.</p>						
 <p>Buffet</p>	Z481829BO	48 x 18 x 29	135	18	\$1514	\$234
	Z361829BO	36 x 18 x 29	112	14	\$1244	\$174
<p>Buffet features one fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf. Shipped assembled in 1 carton.</p>						
 <p>Buffet with Doors**</p>	Z481829BD	48 x 18 x 29	148	18	\$152	\$234
	Z361829BD	36 x 18 x 29	119	14	\$1278	\$174
<p>Buffet features two doors with lock and one fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Shipped assembled in 1 carton.</p>						
 <p>Buffet with Doors**</p>	Z721829BU	72 x 18 x 29	211	27	\$2283	\$351
	Z601829BU	60 x 18 x 29	163	22.5	\$2079	\$293
<p>Buffet features three separate compartments. The two outer compartments come standard with locking doors and each features one fixed height adjustable shelf. The center compartment is open with one fixed height adjustable shelf. Decorative aluminum trim is standard on the lip of the open shelf. Top is recessed within side and end panels to act as a tray. Shipped assembled in 1 carton.</p>						


Required specifications

Top finish (not Z361872VB)
Base finish
Base trim finish
Push bar finish*


Optional specifications

HP laminate


Handles**




Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Top shapes



Round base



Square base

Features and Benefits

- Tops are available in four materials to help perfect your interior design: high pressure laminate, veneer and solid surface.
- **High pressure laminate** tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge profile. Tops with flat edge have a 45 lb. density particle board core; tops with knife edge have a MDF core.
- **Veneer** tops are 1 3/16" thick overall with matching flat edge or knife edge.
- **Solid surface** tops are 1 1/4" thick with a plywood or particle board melamine subtop depending on size, available with flat edge or knife edge.
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:
Coffee table height at 16"H.
End table height at 22"H.
Lounge height at 27"H.
Seated height at 29"H.
Counter height at 36"H.
Bar height at 41.5"H.

GENERAL INFORMATION

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series as well as a variety of solid surface options to choose from - tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- High pressure laminate, veneer and solid surface.
- **High pressure laminate** tops are 1 1/16" thick with 2mm flat edge or 1 3/16" thick with knife edge. 1 1/16" thick tops have a 45 lb. density particle board core and the 2mm flat edge finish can be specified to match or complement the top surface. 1 3/16" thick tops have an MDF core and the knife edge finish will match top surface. Models ending in **(LK)** indicate high pressure laminate with knife edge.
- **Veneer** tops are 1 3/16" thick overall with choice of edge detail - flat edge or knife edge. Edge finish will correspond to surface finish. When flat edge, core material is 45 lb. density particle board; when knife edge, core material is MDF. Models ending in **(V)** indicate veneer.
- **Solid surface** tops are 1 1/4" thick overall with choice of edge detail - flat edge or knife edge. Solid surface material is 0.5" thick with built up edge profile over a particle board or plywood subtop depending on overall top size. Models ending in **(SF)** indicate solid surface with flat edge; models ending in **(SK)** indicate solid surface with knife edge.
- Please see model # for pricing and availability of various material and edge options.
- Refer to page 18 or globalfurnituregroup.com for available finish options.
- While not all sizes are available in all materials:
 - Worksurfaces of 96" or less in length are standard in one piece (1 carton).
 - Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons).
 - Worksurfaces 96", 120" and 144" x 48" include support channels.

BASES

- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. **Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.**
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a cold rolled steel tube.
- GRB14H25 attaches to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35 and GSB19H41 attach to tops with a 6" x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- Top plate and base plate of GRB22 and GSB19 models in all heights, have pass-through cut-outs to accommodate a single port simplex or dual USB module to deliver power or USB charging to the surface. This allows the module to be mounted directly above the base and to pass the unit's cord through the base column resulting in the cord and plug head exiting from the bottom of the base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available in plated finishes (see page 18) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases come with six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate finishes (high pressure laminate):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Veneer finishes (applicable for models ending in **V** only):

AMW	Almond Cherry	LTW	Latte
ACW	Amber Cherry	MHW	Mahogany on Walnut
BTW	Biscotti	MPW	Natural Maple
CAW	Cocoa Walnut	MTW	Milestone
CRW	Coral	NLW	Natural Walnut
DCW	Dark Cherry	RCW	Red Cherry
DWW	Dark Walnut	ULW	Umber Walnut
EWV	Espresso	VNW	Vintage Cherry
EVW	Evening Oak	WLW	Walnut
GRW	Grey on Oak	WMW	White Maple
HAW	Hazelnut	WCW	Warm Cherry
JAW	Java		

Solid surface (applicable for models ending in **SF** or **SK** only):

Grade 1		Grade 2	
SWH	Designer White	SBT	Beige Tempest
		SBX	Black Onyx Mirage
		SFW	Frosty White Mirage
		SHS	Hot Stone
		SMG	Milk Glass Spectra
		SNM	Northern Melange

Bases (paint finishes):

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TFO	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

Bases (plated finishes - upcharge applies):

ACO	Antique Copper	CHM	Chrome
BCH	Brushed Chrome	SBR	Satin Brass

3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
 - Flat edge (FE) - default profile
 - 3" radiused corners (R3) - optional for square and rectangular tops, upcharge applies
- High pressure laminate tops (models ending in **LK**):
 - Knife edge only
 - 3" radiused corners available by quote request only
- Veneer tops (models ending in **V**):
 - Flat edge (FE) - default profile
 - Knife edge (KS) - optional
 - 3" radiused corners available by quote request only
- Solid surface tops (models ending in **SF**):
 - Flat edge (FE) - default profile
 - 3" radiused corners (R3) - optional for square and rectangular tops, upcharge applies
- Solid surface tops (models ending in **SK**):
 - Knife edge (KS) - default profile
 - Knife edge with 3" radiused corners (KR) - optional for square and rectangular tops, upcharge applies

4. SPECIFY EDGE FINISH

Edge finish only applicable for high pressure tops with flat edge (FE)

AAE	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASE	Asian Night	DEE	Dark Espresso	QTM	Quarter Mahogany
ACE	Avant Cherry	DWE	Designer White	SAR	Scarlet
AHE	Avant Honey	DJN	Dijon	SHW	Shadow
BLK	Black	FAS	Fashionista	SBY	Sheer Beauty
BZD	Blizzard	FCL	First Class	SDT	Stonedust
BRC	Brushed Cobalt	FOG	Fog	SOG	Storm Grey
BZB	Buzz Blue	LAB	Latte	WHE	Walnut Heights
CCT	Cactus	NBL	Noce Biondo	CBE	White Chocolate
CRO	Carrot	NGL	Noce Grigio	WCE	Winter Cherry
CME	Clear Maple	NEL	Noce Leggero		

5. SPECIFY OPTIONS

POWER BLOCKS AND CUT-OUTS LOCATIONS

- A power block delivers power/data to the table surface.
- Power block modules are ordered separately.
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.
Example: Order a **R1** or **T1**. **Add \$91** for each cut-out.
- Cut-outs may be placed at non-standard locations. Please contact Customer Service.
- Select power block option from Productivity Solutions pages 83-85.
- Custom locations or cut-outs available (drawing required). **Add \$132.**

POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

(Power modules and blocks can be found in the Productivity Solutions section of the price list)

PRTMCS401B
PRTMCS401T
PRTMCS401W
PRTMCS421B
PRTMCS421T
PRTMCS421W

R1

R2

R3

PRTMCD602B
PRTMCD602T
PRTMCD602W
PRTMCD622B
PRTMCD622T
PRTMCD622W
PRTMCD642B
PRTMCD642T
PRTMCD642W

T1

T2












T3











- Match power block desired with cut-out code and location from above grid.
- Example: If power block module # PRTMC401B is required in the center position, specify cut-out option R2 when specifying the top.












TABLE NOTES - ESTIMATED CAPACITY


- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.


Top Size	Round	NUMBER OF CHAIRS				Boat	Racetrack
		Square	Rectangular				
30 x 30	3	4	N/A		N/A	N/A	N/A
30 x 36	N/A	N/A	4		N/A	N/A	N/A
30 x 42	N/A	N/A	4		N/A	N/A	N/A
36 x 36	4	4	N/A		N/A	N/A	N/A
36 x 42	N/A	N/A	4		N/A	N/A	N/A
42 x 42	4	4	N/A		N/A	N/A	N/A
48 x 48	4	4	N/A		N/A	N/A	N/A
54 x 54	5	6	N/A		N/A	N/A	N/A
60 x 60	5	6	N/A		N/A	N/A	N/A
30 x 60	N/A	N/A	4-6		4-6	4-6	4-6
30 x 66	N/A	N/A	4-6		4-6	4-6	4-6
36 x 60	N/A	N/A	4-6		4-6	4-6	4-6
36 x 66	N/A	N/A	4-6		4-6	4-6	4-6
36 x 72	N/A	N/A	4-6		4-6	4-6	4-6
36 x 84	N/A	N/A	4-6		4-6	4-6	4-6
36 x 96	N/A	N/A	6-8		6-8	6-8	6-8
48 x 84	N/A	N/A	6-8		6-8	6-8	6-8
48 x 96	N/A	N/A	6-8		6-8	6-8	6-8
48 x 120	N/A	N/A	8-10		8-10	8-10	8-10
48 x 144	N/A	N/A	10-12		10-12	10-12	10-12


APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP											POWER MGMT OPTIONS	
Table Shape/Size	Top #	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"H		Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
		Round base 22"	Square base 18.5"	Round base 22", 28", 34"	Square base 18.5", 22.5", 28.5"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"			
												
Round  Nominal base plate dimension indicated by 4th and 5th characters in base model numbers												
24" diameter top	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter top	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" diameter top	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" diameter top	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
48" diameter top	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" diameter top	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
60" diameter top	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
Square 												
24" square top	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square top	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square top	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" square top	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
Rectangular 												
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: R1/2/3, T1/2/3, FOG1/2/3
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Both ends: R1, R2, T1, T2, FOG1, FOG3
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP											POWER MGMT OPTIONS	
Table Shape/Size	Top #	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"H		Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
		Round base 22" 	Square base 18.5" 	Round base 22", 28", 34" 	Square base 18.5", 22.5", 28.5" 	Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Racetrack 												
Nominal base plate dimension indicated by 4th and 5th characters in base model numbers												
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/Center/Right: R1/2/3, T1/2/3, FOG1/2/3
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Racetrack	GRC8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: R1, R3, T1, T3, FOG1, FOG3
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
Boat Shape 												
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: R2, T2, FOG2
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/Center/Right: R1/2/3, T1/2/3, FOG1/2/3
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape/Size	Top #	Laptop Height 25.6"H				Base Qty.	# Top pieces	Power Block Cut-outs available
		Round base 14" Centered column 	Square base 12.5" Centered column 	Round base N/A	Square base 12.5" Offset column 			
Square Laptop 								
20"x20"	GSBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"x22"	GSBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"x20"	GSBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22"x22"	GSBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Rectangular Laptop 								
16"x20"	GSBTP1620_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x22"	GSBTP1622_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x20"	GSBOT1620_	N/A	N/A	N/A	GSOB13H25	1	1	None
16"x22"	GSBOT1622_	N/A	N/A	N/A	GSOB13H25	1	1	None
APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape	Top #	Coffee Table 16"H		End Table 22"H		Base Qty.	# top pieces	Power Block Cut-outs available
		Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Round Coffee/End Tables  <i>*Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.</i>								
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
Square Coffee/End Tables 								
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only

SQUARE LAPTOP TABLES FOR CENTER BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
 <p>Square Tops, for Centered Base</p>	W x D x H							
	High pressure laminate, flat edge ⁽⁴⁾							
	GSBTP20 (HP)	20 x 20 x 1	11	0.5	\$295	N/A	\$20.60	N/A
	GSBTP22 (HP)	22 x 22 x 1	13	0.5	\$295	N/A	\$20.60	N/A
	High pressure laminate, knife edge							
	GSBTP20LK	20 x 20 x 1.19	13	1.5	\$450	N/A	N/A	N/A
	GSBTP22LK	22 x 22 x 1.19	16	2	\$491	N/A	N/A	N/A
	Veneer ⁽²⁾							
	GSBTP20V	20 x 20 x 1.19	13	1.5	\$578	N/A	N/A	\$87
	GSBTP22V	22 x 22 x 1.19	16	2	\$635	N/A	N/A	\$97
	Solid surface, flat edge ^{(3) (4)}							
	GSBTP16SF	16.5 x 16.5 x 1.25	14	0.6	\$1447	\$83	\$206	N/A
	GSBTP20SF	20 x 20 x 1.25	21	1	\$1736	\$123	\$206	N/A
	GSBTP22SF	22 x 22 x 1.25	26	1	\$1829	\$147	\$206	N/A
	Solid surface, knife edge ^{(3) (4)}							
	GSBTP16SK	16.5 x 16.5 x 1.25	14	0.6	\$1789	\$100	\$206	N/A
	GSBTP20SK	20 x 20 x 1.25	21	1	\$2088	\$130	\$206	N/A
	GSBTP22SK	22 x 22 x 1.25	26	1	\$2188	\$176	\$206	N/A
	Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column.							
	Tops feature metal inserts for ease of assembly to base. One base required.							

SQUARE LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
 <p>Square Tops, for Offset Base</p>	High pressure laminate, flat edge ⁽⁴⁾							
	GSBOTP20 (HP)	20 x 20 x 1	11	0.5	\$295	N/A	\$20.60	N/A
	High pressure laminate, knife edge							
	GSBOTP20LK	20 x 20 x 1.19	13	1.5	\$450	N/A	N/A	N/A
	Veneer ⁽²⁾							
	GSBOTP20V	20 x 20 x 1.19	13	1.5	\$578	N/A	N/A	\$87
	Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.							
	Tops feature metal inserts for ease of assembly to base. One base required.							

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
 <p>Rectangular Tops, for Offset Base</p>	High pressure laminate, flat edge ⁽⁴⁾							
	GSBOT1620 (HP)	16 x 20 x 1	9	0.4	\$301	N/A	\$21	N/A
	GSBOT1622 (HP)	16 x 22 x 1	11	0.5	\$301	N/A	\$21	N/A
	High pressure laminate, knife edge							
	GSBOT1620LK	20 x 16 x 1.19	11	1.5	\$461	N/A	N/A	N/A
	GSBOT1622LK	22 x 16 x 1.19	13	2	\$506	N/A	N/A	N/A
	Veneer ⁽²⁾							
	GSBOT1620V	20 x 16 x 1.19	11	1.5	\$568	N/A	N/A	\$87
	GSBOT1622V	22 x 16 x 1.19	13	2	\$624	N/A	N/A	\$92
	Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.							
	Tops feature metal inserts for ease of assembly to base. One base required.							

Required specifications




Top finish
Edge finish ⁽¹⁾

Optional specifications

Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾

Applicable bases

GRB14H25 - round
GSB13H25 - square

LAPTOP TABLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
 14" Round Centered Base  12.5" Square Centered Base  12.5" Square Offset Base		W x D x H					
	GRB14H25	14 x - x 24.6	27	3.26	\$633	\$87	\$172
	GSB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
	GSOB13H25	12.5 x 12.5 x 24.6	26	3.26	\$653	\$87	\$186
1.5" diameter column. Weighted base for balance includes top plate, 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.							

ROUND TOPS, 24" - 36"W

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE GRADE 2 R3 ADD KS ADD

W x D x H

High pressure laminate, flat edge

GRBTP24 (HP)	24 x - x 1	16	1	\$297	N/A	N/A	N/A
GRBTP30 (HP)	30 x - x 1	25	1.5	\$347	N/A	N/A	N/A
GRBTP36 (HP)	36 x - x 1	36	2	\$439	N/A	N/A	N/A

High pressure laminate, knife edge

GRBTP24LK	24 x - x 1.19	19	2	\$845	N/A	N/A	N/A
GRBTP30LK	30 x - x 1.19	30	3	\$1038	N/A	N/A	N/A
GRBTP36LK	36 x - x 1.19	43	4	\$1228	N/A	N/A	N/A

Veneer ⁽²⁾

GRBTP24V	24 x - x 1.19	19	2	\$1008	N/A	N/A	\$77
GRBTP30V	30 x - x 1.19	30	3	\$1202	N/A	N/A	\$77
GRBTP36V	36 x - x 1.19	43	4	\$1407	N/A	N/A	\$77

Solid surface, flat edge ⁽³⁾

GRBTP24SF	24 x - x 1.25	24	1.2	\$2130	\$171	N/A	N/A
GRBTP30SF	29.8 x - x 1.25	37	1.8	\$2323	\$235	N/A	N/A
GRBTP36SF	36 x - x 1.25	53	2.5	\$2970	\$353	N/A	N/A

Solid surface, knife edge ⁽³⁾

GRBTP24SK	24 x - x 1.25	24	1.2	\$2188	\$183	N/A	N/A
GRBTP30SK	29.8 x - x 1.25	37	1.8	\$2411	\$253	N/A	N/A
GRBTP36SK	36 x - x 1.25	53	2.5	\$3147	\$376	N/A	N/A



Round Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE TOPS, 24" - 36"W

High pressure laminate, flat edge ⁽⁴⁾

GSBTP24 (HP)	24 x 24 x 1	20	1	\$297	N/A	\$20.60	N/A
GSBTP30 (HP)	30 x 30 x 1	30	1.5	\$347	N/A	\$23.90	N/A
GSBTP36 (HP)	36 x 36 x 1	44	2	\$439	N/A	\$30.30	N/A

High pressure laminate, knife edge

GSBTP24LK	24 x 24 x 1.19	24	2	\$768	N/A	N/A	N/A
GSBTP30LK	30 x 30 x 1.19	36	3	\$834	N/A	N/A	N/A
GSBTP36LK	36 x 36 x 1.19	53	4	\$895	N/A	N/A	N/A

Veneer ⁽²⁾


GSBTP24V	24 x 24 x 1.19	24	2	\$1038	N/A	N/A	\$72
GSBTP30V	30 x 30 x 1.19	36	3	\$1100	N/A	N/A	\$72
GSBTP36V	36 x 36 x 1.19	53	4	\$1166	N/A	N/A	\$72

Solid surface, flat edge ^{(3) (4)}

GSBTP24SF	24 x 24 x 1.25	30	1.2	\$1882	\$176	\$206	N/A
GSBTP30SF	29.8 x 29.8 x 1.25	47	1.8	\$2323	\$235	\$206	N/A
GSBTP36SF	36 x 36 x 1.25	68	2.5	\$3024	\$288	\$206	N/A

Solid surface, knife edge ^{(3) (4)}

GSBTP24SK	24 x 24 x 1.25	30	1.2	\$1942	\$188	\$206	N/A
GSBTP30SK	29.8 x 29.8 x 1.25	47	1.8	\$2912	\$265	\$206	N/A
GSBTP36SK	36 x 36 x 1.25	68	2.5	\$3606	\$329	\$206	N/A



Square Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾
Q2 cut-out for single port module

Applicable bases

Round bases: GRB22H15, GRB22H21,
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases: GSB19H15, GSB19H21,
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Single port modules

ROUND TOPS, 42" - 48"W

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
---------	------------	--------	-----------	------------	---------	--------	--------

W x D x H

High pressure laminate, flat edge

GRBTP42 (HP)	42 x - x 1	44	2.5	\$598	N/A	N/A	N/A
GRBTP48 (HP)	48 x - x 1	56	3	\$640	N/A	N/A	N/A

High pressure laminate, knife edge

GRBTP42LK	42 x - x 1.19	53	5	\$1432	N/A	N/A	N/A
GRBTP48LK	48 x - x 1.19	67	6.5	\$1637	N/A	N/A	N/A

Veneer ⁽²⁾

GRBTP42V	42 x - x 1.19	53	5	\$1718	N/A	N/A	\$72
GRBTP48V	48 x - x 1.19	67	6.5	\$1965	N/A	N/A	\$81

Solid surface, flat edge ⁽³⁾

GRBTP42SF	42 x - x 1.25	73	3.4	\$4029	\$453	N/A	N/A
GRBTP48SF	48 x - x 1.25	95	4.3	\$4588	\$576	N/A	N/A

Solid surface, knife edge ⁽³⁾

GRBTP42SK	42 x - x 1.25	73	3.4	\$4242	\$506	N/A	N/A
GRBTP48SK	48 x - x 1.25	95	4.3	\$5117	\$641	N/A	N/A



Round Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE/RECTANGULAR TOPS, 42"W

High pressure laminate, flat edge ⁽⁴⁾

GSBTP3042 (HP)	42 x 30 x 1	36	1.55	\$561	N/A	\$39.20	N/A
GSBTP3642 (HP)	42 x 36 x 1	43	1.86	\$603	N/A	\$42.10	N/A
GSBTP42 (HP)	42 x 42 x 1	58	2.5	\$598	N/A	\$42.40	N/A

High pressure laminate, knife edge

GSBTP3042LK	42 x 30 x 1.19	43	4	\$1013	N/A	N/A	N/A
GSBTP3642LK	42 x 36 x 1.19	52	4.5	\$1075	N/A	N/A	N/A
GSBTP42LK	42 x 42 x 1.19	70	5	\$1120	N/A	N/A	N/A

Veneer ⁽²⁾


GSBTP3042V	42 x 30 x 1.19	43	4	\$1274	N/A	N/A	\$56
GSBTP3642V	42 x 36 x 1.19	52	4.5	\$1330	N/A	N/A	\$66
GSBTP42V	42 x 42 x 1.19	70	5	\$1560	N/A	N/A	\$72

Solid surface, flat edge ⁽³⁾⁽⁴⁾


GSBTP3042SF	29.8 x 42 x 1.25	66	2.9	\$2736	\$300	\$206	N/A
GSBTP3642SF	36 x 42 x 1.25	79	2.9	\$3511	\$400	\$206	N/A
GSBTP42SF	42 x 42 x 1.25	92	3.4	\$3659	\$436	\$206	N/A

Solid surface, knife edge ⁽³⁾⁽⁴⁾

GSBTP3042SK	29.8 x 42 x 1.25	66	2.9	\$3205	\$353	\$206	N/A
GSBTP3642SK	36 x 42 x 1.25	79	2.9	\$4052	\$476	\$206	N/A
GSBTP42SK	42 x 42 x 1.25	92	3.4	\$4242	\$529	\$206	N/A



Rectangular Tops



Square Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radius corners ⁽⁴⁾

Applicable bases

GRB28 - round
GSB23 - square

BASES FOR TOPS 42" - 48"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
---------------------------	---------	------------	--------	-----------	------------	-----------	-----------


W x D x H

BASES VALID FOR TOPS ON PAGE 27:


GRB28	28 x - x 27.5	100	15.63	\$1250	\$147	\$372
seated height						

GSB23	22.5 x 22.5 x 27.5	82	9.33	\$1146	\$136	\$235
seated height						

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.




28" Dia Round Base





23" Square Base

Required Specifications	Optional Specifications
Finish	Plated finish

ROUND TOPS, 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	GRADE 2	R3 ADD	KS ADD
	W x D x H							
	High pressure laminate, flat edge							
	GRBTP54 (HP)	54 x - x 1	73	4.5	\$874	N/A	N/A	N/A
	GRBTP60 (HP)	60 x - x 1	92	5	\$909	N/A	N/A	N/A
	High pressure laminate, knife edge							
	GRBTP54LK	54 x - x 1.19	88	8	\$1847	N/A	N/A	N/A
	GRBTP60LK	60 x - x 1.19	110	10	\$2276	N/A	N/A	N/A
	Veneer ⁽²⁾							
	GRBTP54V	54 x - x 1.19	88	8	\$2507	N/A	N/A	\$97
	GRBTP60V	60 x - x 1.19	110	10	\$3094	N/A	N/A	\$102
	Solid surface, flat edge ⁽³⁾							
	GRBTP54SF	54 x - x 1.25	120	5.4	\$4971	\$706	N/A	N/A
	GRBTP60SF	60 x - x 1.25	148	6.7	\$6530	\$882	N/A	N/A
	Solid surface, knife edge ⁽³⁾							
	GRBTP54SK	54 x - x 1.25	120	5.4	\$5876	\$888	N/A	N/A
	GRBTP60SK	60 x - x 1.25	148	6.7	\$7189	\$1077	N/A	N/A

Round Tops

Applicable bases to use with above tops: GRB34 round base or GSB28 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR TOPS 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
 <p>34" Dia Round Base</p>  <p>28" Square Base</p>	W x D x H						
	BASES VALID FOR TOPS ABOVE:						
	Order the quantity of bases as indicated by each top size.						
	GRB34	34 x - x 27.5	135	20.56	\$1538	\$147	\$449
	seated height						
	GSB28	28.5 x 28.5 x 27.5	125	15.63	\$1432	\$136	\$242
	seated height						
	Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.						

Required specifications

Top finish
Edge finish ⁽¹⁾
Base finish

Optional specifications

Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
Base plated finish

Applicable bases

GRB34 - round
GSB28 - square

RECTANGULAR TOPS, 60" - 96"W

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE GRADE 2 R3 ADD KS ADD

W x D x H

High pressure laminate, flat edge ⁽⁴⁾

GRT5NTP (HP)	60 x 30 x 1	46	2.5	\$587	N/A	\$41.40	N/A
GRT5NHTP (HP)	66 x 30 x 1	56	2.44	\$627	N/A	\$44.30	N/A
GRT5TP (HP)	60 x 36 x 1	70	6.6	\$660	N/A	\$47.20	N/A
GRT5HTP (HP)	66 x 36 x 1	79	7.21	\$676	N/A	\$48.10	N/A
GRT6TP (HP)	72 x 36 x 1	72	8	\$676	N/A	\$48.10	N/A
GRT7TP (HP)	84 x 36 x 1	85	8.75	\$832	N/A	\$59.10	N/A
GRT8TP (HP)	96 x 36 x 1	94	9	\$923	N/A	\$64.80	N/A

High pressure laminate, knife edge

GRT5NTPLK	60 x 30 x 1.19	55	5	\$1218	N/A	N/A	N/A
GRT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1330	N/A	N/A	N/A
GRT5TPLK	60 x 36 x 1.19	84	6	\$1448	N/A	N/A	N/A
GRT5HTPLK	66 x 36 x 1.19	95	6.5	\$1581	N/A	N/A	N/A
GRT6TPLK	72 x 36 x 1.19	86	7	\$1719	N/A	N/A	N/A
GRT7TPLK	84 x 36 x 1.19	102	8	\$1990	N/A	N/A	N/A
GRT8TPLK	96 x 36 x 1.19	113	9	\$2266	N/A	N/A	N/A

Veneer ⁽²⁾

GRT5NTPV	60 x 30 x 1.19	55	5	\$1663	N/A	N/A	\$77
GRT5NHTPV	66 x 30 x 1.19	67	5.5	\$1770	N/A	N/A	\$77
GRT5TPV	60 x 36 x 1.19	84	6	\$1898	N/A	N/A	\$97
GRT5HTPV	66 x 36 x 1.19	95	6.5	\$2072	N/A	N/A	\$128
GRT6TPV	72 x 36 x 1.19	86	7	\$2251	N/A	N/A	\$143
GRT7TPV	84 x 36 x 1.19	102	8	\$2614	N/A	N/A	\$164
GRT8TPV	96 x 36 x 1.19	113	9	\$2982	N/A	N/A	\$179


Solid surface, flat edge ^{(3) (4)}

GRT5NTPSF	60 x 29.8 x 1.25	94	3.4	\$4106	\$436	\$206	N/A
GRT5NHTPSF	66 x 29.8 x 1.25	104	3.8	\$4406	\$506	\$206	N/A
GRT5TPSF	60 x 36 x 1.25	113	4.1	\$5465	\$647	\$206	N/A
GRT5HTPSF	66 x 36 x 1.25	124	4.5	\$5641	\$647	\$206	N/A
GRT6TPSF	71.8 x 36 x 1.25	135	4.9	\$6229	\$706	\$206	N/A
GRT7TPSF	84 x 36 x 1.25	158	5.7	\$6776	\$853	\$206	N/A
GRT8TPSF	96 x 36 x 1.25	180	6.5	\$7271	\$894	\$206	N/A

Solid surface, knife edge ^{(3) (4)}

GRT5NTPSK	60 x 29.8 x 1.25	94	3.4	\$4494	\$494	\$206	N/A
GRT5NHTPSK	66 x 29.8 x 1.25	104	3.8	\$4853	\$576	\$206	N/A
GRT5TPSK	60 x 36 x 1.25	113	4.1	\$6053	\$729	\$206	N/A
GRT5HTPSK	66 x 36 x 1.25	124	4.5	\$6206	\$741	\$206	N/A
GRT6TPSK	71.8 x 36 x 1.25	135	4.9	\$6876	\$812	\$206	N/A
GRT7TPSK	84 x 36 x 1.25	158	5.7	\$7429	\$970	\$206	N/A
GRT8TPSK	96 x 36 x 1.25	180	6.5	\$7911	\$1023	\$206	N/A

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.



Rectangular Tops

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners ⁽⁴⁾
Grommet position or power block cut-out

Applicable bases (two required)

Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Power block

RACETRACK TOPS, 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
----------------------------	---------	------------	--------	-----------	------------	--------

W x D x H

High pressure laminate, flat edge


GRC5NTP (HP)	60 x 30 x 1	46	2.5	\$600	N/A
GRC5NHTP (HP)	66 x 30 x 1	56	2.44	\$644	N/A
GRC5TP (HP)	60 x 36 x 1	70	6.6	\$678	N/A
GRC5HTP (HP)	66 x 36 x 1	79	7.21	\$687	N/A
GRC6TP (HP)	72 x 36 x 1	72	7.5	\$687	N/A
GRC7TP (HP)	84 x 36 x 1	85	8.75	\$844	N/A
GRC8TP (HP)	96 x 36 x 1	94	9	\$934	N/A

High pressure laminate, knife edge

GRC5NTPLK	60 x 30 x 1.19	55	5	\$1673	N/A
GRC5NHTPLK	66 x 30 x 1.19	67	5.5	\$1826	N/A
GRC5TPLK	60 x 36 x 1.19	84	6	\$1826	N/A
GRC5HTPLK	66 x 36 x 1.19	95	6.5	\$1980	N/A
GRC6TPLK	72 x 36 x 1.19	86	7	\$2144	N/A
GRC7TPLK	84 x 36 x 1.19	102	8	\$2451	N/A
GRC8TPLK	96 x 36 x 1.19	113	9	\$2758	N/A

Veneer ⁽²⁾

GRC5NTPV	60 x 30 x 1.19	55	5	\$1882	\$271
GRC5NHTPV	66 x 30 x 1.19	67	5.5	\$2026	\$292
GRC5TPV	60 x 36 x 1.19	84	6	\$2175	\$312
GRC5HTPV	66 x 36 x 1.19	95	6.5	\$2374	\$343
GRC6TPV	72 x 36 x 1.19	86	7	\$2578	\$373
GRC7TPV	84 x 36 x 1.19	102	8	\$2998	\$435
GRC8TPV	96 x 36 x 1.19	113	9	\$3417	\$496



Racetrack Tops

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

Knife edge ⁽²⁾
Grommet position or power block cut-out


Applicable bases (two required)

Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Power block


S SWAP™ TABLES

BOAT SHAPE TOPS, 60" - 96"W		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
		W x D x H					
		High pressure laminate, flat edge					
		GBT5NTP (HP)	60 x 30 x 1	46	2.5	\$600	N/A
		GBT5NHTP (HP)	66 x 30 x 1	56	2.44	\$644	N/A
		GBT5TP (HP)	60 x 36 x 1	70	6.6	\$678	N/A
		GBT5HTP (HP)	66 x 36 x 1	79	7.21	\$687	N/A
		GBT6TP (HP)	72 x 36 x 1	72	7.5	\$687	N/A
		GBT7TP (HP)	84 x 36 x 1	85	8.75	\$844	N/A
		GBT8TP (HP)	96 x 36 x 1	94	9	\$934	N/A
		High pressure laminate, knife edge					
		GBT5NTPLK	60 x 30 x 1.19	55	5	\$1673	N/A
		GBT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1826	N/A
		GBT5TPLK	60 x 36 x 1.19	84	6	\$1826	N/A
		GBT5HTPLK	66 x 36 x 1.19	95	6.5	\$1980	N/A
		GBT6TPLK	72 x 36 x 1.19	86	7	\$2144	N/A
		GBT7TPLK	84 x 36 x 1.19	102	8	\$2451	N/A
		GBT8TPLK	96 x 36 x 1.19	113	9	\$2758	N/A
		Veneer ⁽²⁾					
		GBT5NTPV	60 x 30 x 1.19	55	5	\$1882	\$271
		GBT5NHTPV	66 x 30 x 1.19	67	5.5	\$2026	\$292
		GBT5TPV	60 x 36 x 1.19	84	6	\$2175	\$312
		GBT5HTPV	66 x 36 x 1.19	95	6.5	\$2374	\$343
		GBT6TPV	72 x 36 x 1.19	86	7	\$2578	\$373
		GBT7TPV	84 x 36 x 1.19	102	8	\$2998	\$435
		GBT8TPV	96 x 36 x 1.19	113	9	\$3417	\$496

Boat Shape Tops

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

- GBTxNTP/GBTxNHTP: 30"D across center and 24"D at ends.
- GBTxTP/GBTxHTP: 36"D across center and 28"D at ends.

BASES FOR TOPS 60" - 96"W		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
		Order the quantity of bases as indicated by each top size.						
		GRB22H26	22 x - x 26	55	8.63	\$793	\$147	\$221
		GRB22	22 x - x 27.5	55	9.33	\$793	\$147	\$221
		GRB22H35	22 x - x 35	57.1	12	\$831	\$164	\$253
		GRB22H41	22 x - x 40.5	58.3	14	\$844	\$171	\$259
		GRB22H26 - lounge height GRB22 - seated height GRB22H35 - counter height GRB22H41 - bar height						
		GSB19H26	18.5 x 18.5 x 26	50	5.94	\$857	\$136	\$212
		GSB19	18.5 x 18.5 x 27.5	50	6.06	\$857	\$136	\$212
		GSB19H35	18.5 x 18.5 x 35	51.8	7.52	\$906	\$151	\$262
		GSB19H41	18.5 x 18.5 x 40.5	53.2	8.77	\$937	\$166	\$267

GSB19H26 - lounge height GSB19 - seated height GSB19H35 - counter height GSB19H41 - bar height

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.

Unless otherwise specified, GRB22H26, GSB19H26, GRB22H35, GSB19H35, GRB22H41 and GSB19H41 may only be used on tables widths of 72" or less.

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications


Knife edge ⁽²⁾
Grommet position or power block cut-out


Applicable bases (two required)

Round bases:
GRB22H26, GRB22, GRB22H35, GRB22H41
Square bases:
GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories

Power block

RECTANGULAR TOPS, 96" - 144"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
	W x D x H						
	High pressure laminate, flat edge (1 piece top - 2 bases required) ⁽⁴⁾						
	GRT8MTP (HP)	96 x 42 x 1	128	11.84	\$1725	\$122.10	N/A
	GRT8WTP (HP)	96 x 48 x 1	190	14	\$1733	\$122.10	N/A
	High pressure laminate, flat edge (2 piece tops - 3 bases required) ⁽⁴⁾						
	GRT10WTP (HP)	120 x 48 x 1	220	17	\$2173	\$153.70	N/A
	GRT12WTP (HP)	144 x 48 x 1	262	21	\$2530	\$179.10	N/A
	High pressure laminate, knife edge (1 piece top - 2 bases required)						
	GRT8MTPLK	96 x 42 x 1.19	154	11	\$3069	N/A	N/A
	GRT8WTPLK	96 x 48 x 1.19	228	12	\$3432	N/A	N/A
	High pressure laminate, knife edge (2 piece tops - 3 bases required)						
	GRT10WTPLK	120 x 48 x 1.19	264	15	\$4630	N/A	N/A
	GRT12WTPLK	144 x 48 x 1.19	314	18	\$5524	N/A	N/A
	Veneer (1 piece top - 2 bases required) ⁽²⁾						
	GRT8MTPV	96 x 42 x 1.19	154	11	\$3903	N/A	\$378
	GRT8WTPV	96 x 48 x 1.19	228	12	\$4389	N/A	\$430
	Veneer (2 piece tops - 3 bases required) ⁽²⁾						
	GRT10WTPV	120 x 48 x 1.19	264	15	\$5821	N/A	\$573
	GRT12WTPV	144 x 48 x 1.19	314	18	\$6952	N/A	\$685
Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Two bases required for 96"W tops or three bases required for 120" and 144"W tops. Tops feature metal inserts for ease of assembly to base.							

RACETRACK TOPS, 96" - 144"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
	High pressure laminate, flat edge (1 piece top - 2 bases required)						
	GRC8MTP (HP)	96 x 42 x 1	128	11.84	\$1744	N/A	N/A
	GRC8WTP (HP)	96 x 48 x 1	190	14	\$1752	N/A	N/A
	High pressure laminate, flat edge (2 piece tops - 3 bases required)						
	GRC10WTP (HP)	120 x 48 x 1	220	17	\$2196	N/A	N/A
	GRC12WTP (HP)	144 x 48 x 1	262	21	\$2557	N/A	N/A
	High pressure laminate, knife edge (1 piece top - 2 bases required)						
	GRC8MTPLK	96 x 42 x 1.19	154	11	\$3658	N/A	N/A
	GRC8WTPLK	96 x 48 x 1.19	228	12	\$4169	N/A	N/A
	High pressure laminate, knife edge (2 piece tops - 3 bases required)						
	GRC10WTPLK	120 x 48 x 1.19	264	15	\$5192	N/A	N/A
	GRC12WTPLK	144 x 48 x 1.19	314	18	\$6215	N/A	N/A
	Veneer (1 piece top - 2 bases required) ⁽²⁾						
	GRC8MTPV	96 x 42 x 1.19	154	11	\$4630	N/A	\$455
	GRC8WTPV	96 x 48 x 1.19	228	12	\$5141	N/A	\$506
	Veneer (2 piece tops - 3 bases required) ⁽²⁾						
	GRC10WTPV	120 x 48 x 1.19	264	15	\$6727	N/A	\$666
	GRC12WTPV	144 x 48 x 1.19	314	18	\$7954	N/A	\$788
Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Two bases required for 96"W tops or three bases required for 120" and 144"W tops. Tops feature metal inserts for ease of assembly to base.							

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications


Knife edge ⁽²⁾
3" radiused corners ⁽⁴⁾
Grommet position or power block cut-out


Applicable bases (two or three required)

GRB28 - round
GSB23 - square

Accessories

Power block

RECTANGULAR TOPS FOR DUAL COLUMN BASE		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
		W x D x H						
 <p>Rectangular Tops</p>		High pressure laminate, flat edge ⁽⁴⁾						
		GRTD5TP (HP)	60 x 36 x 1	60	6.6	\$660	\$47.20	N/A
		GRTD5HTP (HP)	66 x 36 x 1	69	7.21	\$676	\$48.10	N/A
		GRTD6TP (HP)	72 x 36 x 1	75	7.82	\$676	\$48.10	N/A
		GRTD5MTP (HP)	60 x 42 x 1	73	7.62	\$906	\$63.30	N/A
		GRTD5HMTP (HP)	66 x 42 x 1	81	8.32	\$969	\$67.50	N/A
		GRTD6MTP (HP)	72 x 42 x 1	89	9.02	\$994	\$69.40	N/A
		High pressure laminate, knife edge						
		GRTD5TPLK	60 x 36 x 1.19	72	6	\$1448	N/A	N/A
		GRTD5HTPLK	66 x 36 x 1.19	83	6.5	\$1581	N/A	N/A
		GRTD6TPLK	72 x 36 x 1.19	90	7	\$1719	N/A	N/A
		GRTD5MTPLK	60 x 42 x 1.19	88	7	\$1668	N/A	N/A
		GRTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$1832	N/A	N/A
		GRTD6MTPLK	72 x 42 x 1.19	107	8	\$1990	N/A	N/A
		Veneer ⁽²⁾						
		GRTD5TPV	60 x 36 x 1.19	72	6	\$1898	N/A	\$184
		GRTD5HTPV	66 x 36 x 1.19	83	6.5	\$2072	N/A	\$199
		GRTD6TPV	72 x 36 x 1.19	90	7	\$2251	N/A	\$215
		GRTD5MTPV	60 x 42 x 1.19	88	7	\$2195	N/A	\$210
		GRTD5HMTPV	66 x 42 x 1.19	97	7.5	\$2405	N/A	\$230
		GRTD6MTPV	72 x 42 x 1.19	107	8	\$2614	N/A	\$256
		<p>Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required.</p> <p>Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.</p>						

RACETRACK TOPS FOR DUAL COLUMN BASE		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	R3 ADD	KS ADD
		W x D x H						
 <p>Racetrack Tops</p>		High pressure laminate, flat edge						
		GRCD5TP (HP)	60 x 36 x 1	60	6.6	\$678	N/A	N/A
		GRCD5HTP (HP)	66 x 36 x 1	69	7.21	\$687	N/A	N/A
		GRCD6TP (HP)	72 x 36 x 1	75	7.82	\$687	N/A	N/A
		GRCD5MTP (HP)	60 x 42 x 1	73	7.62	\$906	N/A	N/A
		GRCD5HMTP (HP)	66 x 42 x 1	81	8.32	\$969	N/A	N/A
		GRCD6MTP (HP)	72 x 42 x 1	89	9.02	\$994	N/A	N/A
		High pressure laminate, knife edge						
		GRCD5TPLK	60 x 36 x 1.19	72	6	\$1995	N/A	N/A
		GRCD5HTPLK	66 x 36 x 1.19	83	6.5	\$2123	N/A	N/A
		GRCD6TPLK	72 x 36 x 1.19	90	7	\$2251	N/A	N/A
		GRCD5MTPLK	60 x 42 x 1.19	88	7	\$2379	N/A	N/A
		GRCD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2507	N/A	N/A
		GRCD6MTPLK	72 x 42 x 1.19	107	8	\$2635	N/A	N/A
		Veneer ⁽²⁾						
		GRCD5TPV	60 x 36 x 1.19	72	6	\$2379	N/A	\$230
		GRCD5HTPV	66 x 36 x 1.19	83	6.5	\$2507	N/A	\$241
		GRCD6TPV	72 x 36 x 1.19	90	7	\$2635	N/A	\$256
		GRCD5MTPV	60 x 42 x 1.19	88	7	\$2762	N/A	\$271
		GRCD5HMTPV	66 x 42 x 1.19	97	7.5	\$2891	N/A	\$282
		GRCD6MTPV	72 x 42 x 1.19	107	8	\$3018	N/A	\$292
		<p>Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required.</p> <p>Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.</p>						

Required specifications

Top finish
Edge finish ⁽¹⁾

Optional specifications

Knife edge ⁽²⁾
3" radius corners ⁽⁴⁾
Grommet position or power block cut-out

Applicable bases

GDCB36H28

Accessories

Power block

S SWAP™ TABLES

BOAT SHAPE TOPS FOR DUAL COLUMN BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	KS ADD
--------------------------------------	---------	------------	--------	-----------	------------	--------

W x D x H

High pressure laminate, flat edge


GBTD5TP (HP)	60 x 36 x 1	60	6.6	\$678	N/A
GBTD5HTP (HP)	66 x 36 x 1	69	7.21	\$687	N/A
GBTD6TP (HP)	72 x 36 x 1	75	7.82	\$687	N/A
GBTD5MTP (HP)	60 x 42 x 1	73	7.62	\$906	N/A
GBTD5HMTP (HP)	66 x 42 x 1	81	8.32	\$969	N/A
GBTD6MTP (HP)	72 x 42 x 1	89	9.02	\$994	N/A

High pressure laminate, knife edge

GBTD5TPLK	60 x 36 x 1.19	72	6	\$1995	N/A
GBTD5HTPLK	66 x 36 x 1.19	83	6.5	\$2123	N/A
GBTD6TPLK	72 x 36 x 1.19	90	7	\$2251	N/A
GBTD5MTPLK	60 x 42 x 1.19	88	7	\$2379	N/A
GBTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2507	N/A
GBTD6MTPLK	72 x 42 x 1.19	107	8	\$2635	N/A

Veneer ⁽²⁾

GBTD5TPV	60 x 36 x 1.19	72	6	\$2379	\$230
GBTD5HTPV	66 x 36 x 1.19	83	6.5	\$2507	\$241
GBTD6TPV	72 x 36 x 1.19	90	7	\$2635	\$256
GBTD5MTPV	60 x 42 x 1.19	88	7	\$2762	\$271
GBTD5HMTPV	66 x 42 x 1.19	97	7.5	\$2891	\$282
GBTD6MTPV	72 x 42 x 1.19	107	8	\$3018	\$292



Boat Shape Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (**GDCB36H28**) required. Limited cut-out options available for power modules, include E2 or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

- GBTDxTP/GBTDxHTP: 36"D at center and 28"D at ends
- GBTDxMTP/GBTDxHMTP: 42"D at center and 33"D at ends.


DUAL COLUMN BASE FOR GxTDxxx TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
-----------------------------------	---------	------------	--------	-----------	------------	-----------	-----------

W x D x H

BASE VALID FOR TOPS ON PAGES 35-36:

GDCB36H28	19 x 36 x 28	116.23	12.16	\$2103	\$582	\$768
-----------	--------------	--------	-------	---------------	--------------	--------------

seated height



28"H Dual Column Base

Base ships knocked-down; assembly required. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 18. Upcharge applies on plated finishes.

Required specifications

Top finish
Edge finish ⁽¹⁾
Base finish

Optional specifications

Knife edge ⁽²⁾
Grommet position or power block cut-out
Base plated finish

Applicable bases

GDCB36H28

Accessories

Power block



HUDDLE TABLES OVERVIEW

Bring teams together to huddle, share and collaborate.

Three heights available - seated desk height: 29", counter height: 36", bar height: 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.

Laminate kits (consisting of laminate top and U-base) are sold separately from metal bases for huddle tables. Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.

Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.

D-TOP HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H				
	GDH426029 (HP)	42 x 60 x 29	99.82	5.18	\$1574
	GDH427229 (HP)	42 x 72 x 29	111.5	5.79	\$1759
	GDH428429 (HP)	42 x 84 x 29	123.1	11.98	\$2093
	GDH429629 (HP)	42 x 96 x 29	134.74	13.31	\$2250
	GDH486029 (HP)	48 x 60 x 29	112.6	5.89	\$1827
	GDH487229 (HP)	48 x 72 x 29	126	6.58	\$2069
	GDH488429 (HP)	48 x 84 x 29	139.24	13.5	\$2207
	GDH489629 (HP)	48 x 96 x 29	152.56	15	\$2392
	<p>Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364829 - cut-out position available in position 1 only).</p> <ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base. 				
	GDH426036 (HP)	42 x 60 x 36	109.82	5.61	\$1605
	GDH427236 (HP)	42 x 72 x 36	121.5	6.22	\$1791
	GDH428436 (HP)	42 x 84 x 36	133.1	12.4	\$2123
	GDH429636 (HP)	42 x 96 x 36	144.74	13.75	\$2281
	GDH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1862
	GDH487236 (HP)	48 x 72 x 36	137	7.08	\$2104
	GDH488436 (HP)	48 x 84 x 36	150.24	14	\$2242
	GDH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428
	<p>Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GDH364836 - cut-out position available in position 1 only).</p> <ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base. 				

Required Specifications

Top finish
Base finish


Optional Specifications

Grommet position or power block cut-out

Accessories

Power block

D-TOP HUDDLE TABLES






41.5"H D-Top Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H				
GDH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665
GDH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849
GDH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183
GDH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341
GDH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1552
GDH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169
GDH488441 (HP)	48 x 84 x 41.5	156.74	14.53	\$2308
GDH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GDH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications	Optional Specifications	Accessories
Top finish Base finish	Grommet position or power block cut-out	Power block

WEDGE HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>29"H Wedge Huddle</p>	W x D x H				
	GWH486029 (HP)	48 x 60 x 29	112.6	5.89	\$1822
	GWH487229 (HP)	48 x 72 x 29	126	6.58	\$2069
	GWH488429 (HP)	48 x 84 x 29	139.24	13.5	\$2207
	GWH489629 (HP)	48 x 96 x 29	152.56	15	\$2392
 <p>36"H Wedge Huddle</p>	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only.				
	<ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base. 				
	GWH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1857
	GWH487236 (HP)	48 x 72 x 36	137	7.08	\$2104
 <p>41.5"H Wedge Huddle</p>	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only.				
	<ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base. 				
	GWH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1922
	GWH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169
	GWH488441 (HP)	48 x 84 x 41.5	156.74	14.35	\$2308
	GWH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492
	Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only.				
	<ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base. 				

Required Specifications

Top finish
Base finish

Optional Specifications


Grommet position or power block cut-out

Accessories


Power block

S SWAP™ TABLES


RECTANGULAR HUDDLE TABLES



29"H Rectangular Huddle



36"H Rectangular Huddle



41.5"H Rectangular Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
---------	------------	--------	-----------	------------

W x D x H

GRH426029 (HP)	42 x 60 x 29	99.82	5.18	\$1574
GRH427229 (HP)	42 x 72 x 29	111.5	5.79	\$1759
GRH428429 (HP)	42 x 84 x 29	123.1	11.98	\$2093
GRH429629 (HP)	42 x 96 x 29	134.74	13.31	\$2250
GRH486029 (HP)	48 x 60 x 29	112.6	5.89	\$1827
GRH487229 (HP)	48 x 72 x 29	126	6.58	\$2069
GRH488429 (HP)	48 x 84 x 29	139.24	13.5	\$2207
GRH489629 (HP)	48 x 96 x 29	152.56	15	\$2392

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364829 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only, requires one base.

GRH426036 (HP)	42 x 60 x 36	109.82	5.61	\$1605
GRH427236 (HP)	42 x 72 x 36	121.5	6.22	\$1791
GRH428436 (HP)	42 x 84 x 36	133.1	12.41	\$2123
GRH429636 (HP)	42 x 96 x 36	144.74	13.75	\$2281
GRH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1862
GRH487236 (HP)	48 x 72 x 36	137	7.08	\$2104
GRH488436 (HP)	48 x 84 x 36	150.24	14	\$2242
GRH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364836 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only, requires one base.

GRH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665
GRH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849
GRH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183
GRH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341
GRH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1926
GRH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169
GRH488441 (HP)	48 x 84 x 41.5	156.74	14.35	\$2308
GRH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 or 2 only (except for model GRH364841 - cut-out position available in position 1 only).**

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only, requires one base.

Required Specifications




Top finish
Base finish

Optional Specifications

Grommet position or power block cut-out

Accessories

Power block

SOFT ELLIPSE HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H			
	GSEH426029 (HP)	42 x 60 x 29	99.82	5.18	\$1574
	GSEH427229 (HP)	42 x 72 x 29	111.5	5.79	\$1759
	GSEH428429 (HP)	42 x 84 x 29	123.1	11.98	\$2093
	GSEH429629 (HP)	42 x 96 x 29	134.7	13.31	\$2250
	GSEH486029 (HP)	48 x 60 x 29	112.6	5.89	\$1827
	GSEH487229 (HP)	48 x 72 x 29	126	6.58	\$2069
	GSEH488429 (HP)	48 x 84 x 29	139.2	13.5	\$2207
	GSEH489629 (HP)	48 x 96 x 29	152.6	15	\$2392
	<p>Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GSEH364829 - cut-out position available in position 1 only).</p> <ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base. 				
	GSEH426036 (HP)	42 x 60 x 36	109.8	5.61	\$1605
	GSEH427236 (HP)	42 x 72 x 36	121.5	6.22	\$1791
	GSEH428436 (HP)	42 x 84 x 36	133.1	12.41	\$2123
	GSEH429636 (HP)	42 x 96 x 36	144.74	13.75	\$2281
	GSEH486036 (HP)	48 x 60 x 36	123.6	6.38	\$1862
	GSEH487236 (HP)	48 x 72 x 36	137	7.08	\$2104
	GSEH488436 (HP)	48 x 84 x 36	150.24	14	\$2242
	GSEH489636 (HP)	48 x 96 x 36	163.56	15.5	\$2428
	<p>Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GSEH364836 - cut-out position available in position 1 only).</p> <ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base. 				
	GSEH426041 (HP)	42 x 60 x 41.5	117.32	5.92	\$1665
	GSEH427241 (HP)	42 x 72 x 41.5	129	6.53	\$1849
	GSEH428441 (HP)	42 x 84 x 41.5	140.6	12.72	\$2183
	GSEH429641 (HP)	42 x 96 x 41.5	152.24	14.06	\$2341
	GSEH486041 (HP)	48 x 60 x 41.5	130.1	6.74	\$1926
	GSEH487241 (HP)	48 x 72 x 41.5	143.5	7.43	\$2169
	GSEH488441 (HP)	48 x 84 x 41.5	156.74	14.35	\$2308
	GSEH489641 (HP)	48 x 96 x 41.5	170.06	15.85	\$2492
	<p>Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 or 2 only (except for model GSEH364841 - cut-out position available in position 1 only).</p> <ul style="list-style-type: none"> • Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base. 				

Required Specifications

Top finish
Base finish


Optional Specifications

Grommet position or power block cut-out


Accessories

Power block

HUDDLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
--------------	---------	------------	--------	-----------	------------	-----------	-----------



22" Round Huddle Base



18.5" Square Huddle Base

W x D x H						
SELECT BASE COMPATIBLE WITH TOP HEIGHT:						
GRHB22H28	22 x - x 28	60	10	\$898	\$147	\$249
GRHB22H35	22 x - x 35	62	12.7	\$933	\$164	\$268
GRHB22H41	22 x - x 40.5	63	14.2	\$949	\$171	\$270

GRHB22H35 - counter height GRHB22H28 - seated height GRHB22H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 18 for available finishes.
Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.
• Plated finishes are available at an upcharge.

GSHB19H28	18.5 x 18.5 x 28	55	6.94	\$966	\$136	\$250
GSHB19H35	18.5 x 18.5 x 35	57	8.8	\$1022	\$151	\$287
GSHB19H41	18.5 x 18.5 x 40.5	58	9.84	\$1056	\$166	\$287

GSHB19H35 - counter height GSHB19H28 - seated height GSHB19H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 18 for available finishes.
Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.
• Plated finishes are available at an upcharge.

Required Specifications	Optional Specifications
Finish	

tables training



Bungee

44



Junction


56




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature optional rounded corners with a unique Bubble molding that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge. Four additional edge options are available.


Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Black or Tungsten finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Black or Tungsten finish (standard on flip-top models).



Bungee cords are utilized to quickly and easily reconfigure tables.

Features and Benefits

- Bungee tables are complete with top, legs and Bungee cords.
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring tools.
- Tops are 1" thick and are offered in a variety of shapes and sizes.
- Legs are offered in tapered or spider design in a Black or Tungsten finish.
- Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal.
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires.
- Optional grommets or power blocks offer technological flexibility.

GENERAL INFORMATION

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors.
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts.
- High pressure tops are standard in all Bungee laminate finishes.
- Unique “bubble molding” edging is specially engineered to create a secure seal to align interconnected tables. Alternate edge options are also available.
- Bungee products have been tested and comply with all mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

- Tops are 1" thick. Modesty panels are $\frac{11}{16}$ " thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance laminate.
- Tops 54" and over feature a built-in support bar.

BUNGEE CORDS

- Bungee cords are patented elastic devices designed to provide a rapid, no-tool method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- Bungee cords are included with all freestanding tables and carry a Lifetime Warranty.

EDGE DETAIL

- Unique “bubble molding” is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- Bubble molding finish matches surface laminate with Silver (**BS**) or Black (**BB**) accent trim.
- For matching 2mm flat edge, specify (**A3**).

LEGS

- Tables feature two styles of legs - tapered leg and spider leg. Available in Black (**TBL**) or Tungsten (**TTU**) finish.
 - Levelers are standard. Optional locking casters are available at no upcharge, specify Black (**TBC**) or Tungsten (**TTC**) finish.
- (Casters must match base finish.) Adjust 3mm - 10mm in height.





tapered leg



spider leg


MODESTY PANELS

- Panels are 13" high, recessed 0.75" from the back and inset 7" from the sides.
- Panels feature a built-in flexible wire pass-through.
- Available in all Bungee laminate finishes.




FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- Available in Silver finish (**SI**) or Black finish (**BK**), please specify.




WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface. Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- Available in Black only.



5" wire management track



22" wire management track

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SGG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Edge:

BB	Bubble edge with Black trim
BS	Bubble edge with Silver trim
A3	Matching 2mm flat edge

Legs:

TBL	Black
TTU	Tungsten

Casters:

TBC	Black
TTC	Tungsten

Handles:

HS	Silver finish
HT	Black finish

Modesty Panel Edge:

SI	Silver
BK	Black Nickel

Feet


TBL	Black	TTU	Tungsten
------------	-------	------------	----------

3. SPECIFY OPTIONS


GROMMETS

- Optional grommets available in standard worksurface locations (left, center or right) for **rectangular tops** (48" wide and up). Order as: **FOG1, FOG2 or FOG3**. Add \$91.
- Optional grommets are available in **center position only** for **rectangular tops** (36" and 42" wide), **trapezoid tables** and **ALL flip-top and transformer tables**. Order as **FOG2**. Add \$91 per table.
- FOG2** when selected will apply to all 4 or 6 tables in transformer table kits accordingly.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: **CSG**. Add \$132. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the **custom grommet location form** in the back reference section.


Grommet hole dimensions




Grommet



Rectangular Tops




For 36", 42" and 48" wide units




For 60" and 72" wide units

Trapezoid Tables and all Flip-Top Tables



grommet location
FOG2. Add \$91.

Transformer Tables



grommet location
FOG2. Add \$91 x number of tables in kit

MODPOWER DAISY-CHAIN SOLUTION


- Add flexible power and USB charging to Bungee **rectangular tables**. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 88.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
 - MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **42" to 72" wide fixed top** rectangular tables and **48" to 72" wide flip-top** rectangular tables. Add \$91. Note: MPS not available for 36" wide fixed top tables or 42" wide flip-top tables.
 - MPD** for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for **60", 66" and 72" wide rectangular tables**. Add \$183.

SPECIFICATIONS


- Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

CONNECTING CONDITIONS


- Bungee cords allow for fast and easy reconfiguring of tables whenever needed. Due to the elastic nature of the Bungee cord, two tables connected with Bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular tables 48" and longer connect in both straight and "L" configurations. Rectangular tables 36" and 42" connect in straight configurations only.




rectangular tables




round wedge tables




trapezoid tables




teardrop tables



half moon tables




flat round tables




square tables





keystone tables



wedge tables






FLIP-TOP TABLE NESTING DIAGRAM






B BUNGEE™ TABLES

RECTANGULAR TABLES



Rectangular Table - Tapered Legs



Rectangular Table - Spider Legs

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H

B2436REF (HP)	36 x 24 x 28.7	65	5.75	\$931
B2442REF (HP)	42 x 24 x 28.7	69	6	\$1015
B2448REF (HP)	48 x 24 x 28.7	72	6.5	\$1039
B2460REF (HP)	60 x 24 x 28.7	82	7.25	\$1277
B2472REF (HP)	72 x 24 x 28.7	91	8	\$1547
B3036REF (HP)	36 x 30 x 28.7	70	7.25	\$1074
B3042REF (HP)	42 x 30 x 28.7	78	7.5	\$1141
B3048REF (HP)	48 x 30 x 28.7	81	7.5	\$1199
B3060REF (HP)	60 x 30 x 28.7	92	8.25	\$1324
B3072REF (HP)	72 x 30 x 28.7	102	9	\$1560
B3642REF (HP)	42 x 36 x 28.7	83	7.5	\$1209
B3648REF (HP)	48 x 36 x 28.7	91	8	\$1304
B3660REF (HP)	60 x 36 x 28.7	103	9	\$1419
B3672REF (HP)	72 x 36 x 28.7	116	10	\$1686

Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

- **Tables 48" and longer connect in both straight and "L" configurations.**
- **Tables 36" and 42" connect in straight configurations only.**
- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

B2436RES (HP)	36 x 24 x 28.7	62	7.25	\$1026
B2442RES (HP)	42 x 24 x 28.7	67	7.5	\$1107
B2448RES (HP)	48 x 24 x 28.7	71	10	\$1138
B2460RES (HP)	60 x 24 x 28.7	80	10.75	\$1372
B2472RES (HP)	72 x 24 x 28.7	89	11.25	\$1646
B3036RES (HP)	36 x 30 x 28.7	72	10.25	\$1198
B3042RES (HP)	42 x 30 x 28.7	80	10.5	\$1261
B3048RES (HP)	48 x 30 x 28.7	83	10.5	\$1324
B3060RES (HP)	60 x 30 x 28.7	94	11.25	\$1449
B3072RES (HP)	72 x 30 x 28.7	104	12	\$1672

Freestanding table includes two spider legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

- **Tables 48" and longer connect in both straight and "L" configurations.**
- **Tables 36" and 42" connect in straight configurations only.**
- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

Required specifications





Top finish
Edge detail
Leg finish

Optional specifications

Casters
Grommet
Power block cut-out

Accessories

Power block

TRAPEZOID TABLES		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
			W x D x H			
	Trapezoid Table - Tapered Legs	B2460TRF (HP)	60 x 24 x 28.7	71	7.5	\$1209
		B2466TRF (HP)	66 x 24 x 28.7	74	8	\$1408
		B2472TRF (HP)	72 x 24 x 28.7	78	8.25	\$1479
		B3060TRF (HP)	60 x 30 x 28.7	78	8.5	\$1312
		B3066TRF (HP)	66 x 30 x 28.7	81	9.5	\$1492
B3072TRF (HP)		72 x 30 x 28.7	85	9.5	\$1547	
Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options (BB) or (BS) only apply (edge option (A3) is not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.						
• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC) .						
	Trapezoid Table - Spider Legs	B2460TRS (HP)	60 x 24 x 28.7	69	9.25	\$1304
		B2466TRS (HP)	66 x 24 x 28.7	72	9.75	\$1532
		B2472TRS (HP)	72 x 24 x 28.7	76	10	\$1574
		B3060TRS (HP)	60 x 30 x 28.7	79	11.5	\$1424
		B3066TRS (HP)	66 x 30 x 28.7	83	12.5	\$1605
B3072TRS (HP)		72 x 30 x 28.7	87	12.5	\$1661	
Freestanding table includes two spider legs with levelers and Bungee cords. Bubble edge options (BB) or (BS) only apply (edge option (A3) is not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.						
• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC) .						
KEYSTONE TABLES						
	Keystone Table - Tapered Legs	B30KSF (HP)	62 x 30 x 28.7	69	7.6	\$1375
		B24KSF (HP)	51 x 24 x 28.7	60	6.5	\$1171
Freestanding table includes four tapered legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.						
	Keystone Table - Spider Legs	B30KSS (HP)	62 x 30 x 28.7	77	7.6	\$1541
		B24KSS (HP)	51 x 24 x 28.7	66	6.5	\$1310
Freestanding table includes two spider legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.						

Required specifications

Top finish
Edge detail
Leg finish

Optional specifications


Grommet (only trapezoid tables)
Casters (only trapezoid tables)
Power block cut-out (only trapezoid tables)

Accessories

Power block (only trapezoid tables)

B BUNGEE™ TABLES

WEDGE TABLES




Wedge Table - Tapered Legs

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H

MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
B24WEF (HP)	63 x 24 x 28.7	54	6.6	\$1208


Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.



Wedge Table - Tapered Legs

B30WEF (HP)	70 x 30 x 28.7	70	7.2	\$1476
-------------	----------------	----	-----	---------------

Freestanding table includes five tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.




Wedge Table - Spider Legs

B30WES (HP)	70 x 30 x 28.7	73	7.2	\$1463
B24WES (HP)	63 x 24 x 28.7	62	6.6	\$1324

Freestanding table includes two spider legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 52.

HALF MOON TABLES




Half Moon Table - Tapered Legs

B2448HMF (HP)	48 x 24 x 28.7	110	7.75	\$966
B3060HMF (HP)	60 x 30 x 28.7	81	8.5	\$1175

Freestanding table includes four tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons.

Modesty panels or filler panels are NOT available.

- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.



Half Moon Table - Tapered Legs

B3672HMF (HP)	72 x 36 x 28.7	110	11.5	\$1641
---------------	----------------	-----	------	---------------

Freestanding table includes five tapered legs with levelers and Bungee cords. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons.

Modesty panels or filler panels are NOT available.

- Available with optional locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

Required specifications


Top finish
Edge detail
Leg finish


Optional specifications

Casters (only half moon tables)
Grommet (only half moon tables)

Accessories

Power block (only position 2)


HALF MOON TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H					
	B2448HMS (HP)	48 x 24 x 28.7	67	9.25	\$1070
	B3060HMS (HP)	60 x 30 x 28.7	83	11.5	\$1295
Half Moon Table - Spider Legs*					
Freestanding table includes two spider legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.					
• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).					

SQUARE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	B3636SQF (HP)	36 x 36 x 28.7	78	8	\$1077
Square Table - Tapered Legs					
Freestanding table includes four tapered legs with levelers and Bungee cords. When (BB) or (BS) edge option is specified, surface corners are radiused; when (A3) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Note: Square tables will NOT accept laminate modesty panels.					
• Available with optional locking casters, specify (Black (TBC) or Tungsten (TTC)).					

Required specifications	Optional specifications
Top finish	Casters
Edge detail	Grommet*
Leg finish	

B BUNGEE™ TABLES


MODESTY PANELS - SQUARE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
-------------------------	---------	------------	--------	-----------	------------	--------



Modesty Panel - Square

	W x D x H				
BX36QMP	21 x 0.69 x 9.6	6	0.9	\$97	N/A
BX42QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A
BX48QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A
BX60QMP	45 x 0.69 x 9.6	12	1.6	\$117	N/A
BX66QMP	51 x 0.69 x 9.6	13	1.8	\$123	N/A
BX72QMP	57 x 0.69 x 9.6	14	2	\$127	N/A


For use on **rectangular** tables. Includes hinged mounting bracket.
Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.
• *Modesty panel model number indicates the width of table to be used on.*



Modesty Panel - Square

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113	N/A
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98	N/A
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A
BXL72QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A

For use on **trapezoid** tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.
Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.
• *Modesty panel model number indicates the width of table to be used on.*
• **Specify BXM models for 24"D tables and BXL models for 30"D tables.**



Modesty Panel - Square

BXWQMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A
--------	-----------------	---	-----	-------	-----

For use on **wedge** tables. Includes hinged mounting bracket. Intended for use on the short side of the table.
Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.


FILLER MODESTY PANELS					
-----------------------	--	--	--	--	--



Filler Modesty Panel - Straight

BSFMS	21 x 0.25 x 9	1	0.3	\$98	N/A
-------	---------------	---	-----	------	-----

Used to fill the space between two **square** modesty panels where tables are linked in a straight configuration.
Available in Silver (**SI**) or Black (**BK**). Please specify.



Filler Modesty Panel - Straight to Wedge

BSWFM	19.6 x 9 x 0.25	2	0.1	\$127	N/A
-------	-----------------	---	-----	-------	-----



Used to fill the space between a straight modesty panel and wedge table.
Use for regular wedge table - tapered legs and flip-top wedge - spider legs.

Required specifications
Finish



WIRE MANAGEMENT	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H				
	BWMS5	5 x 2 x 3.5	1	0.1	\$6
	BWMD22	22 x 2 x 3.5	1.5	0.1	\$15
<p>Wire Management - 5" / 22" Track</p> <p>Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only. There are no specifications for Wire Management.</p> <ul style="list-style-type: none">• For a 5" track, order model BWMS5 - includes one wire clamp.• For a 22" track, order model BWMD22 - includes two wire clamps.					

B BUNGEE™ TABLES


SPIDER LEG TABLES - FLIP-TOP




Flip-Top Rectangular Table - Spider Legs*



Flip-Top Trapezoid Table - Spider Legs*



Flip-Top Keystone Table - Spider Legs



Flip-Top Wedge Table - Spider Legs*

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H

BX2442RES (HP)	42 x 24 x 29.2	66	20.75	\$1606
BX2448RES (HP)	48 x 24 x 29.2	72	23.5	\$1622
BX2460RES (HP)	60 x 24 x 29.2	84	29	\$1694
BX2466RES (HP)	66 x 24 x 29.2	97	31.75	\$1761
BX2472RES (HP)	72 x 24 x 29.2	102	34.75	\$1796

BX3042RES (HP)	42 x 30 x 29.2	73	25.5	\$1663
BX3048RES (HP)	48 x 30 x 29.2	79	28.75	\$1682
BX3060RES (HP)	60 x 30 x 29.2	94	35.75	\$1774
BX3066RES (HP)	66 x 30 x 29.2	106	39.25	\$1859
BX3072RES (HP)	72 x 30 x 29.2	112	42.5	\$1893

Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- **Tables 48" and longer connect in both straight and "L" configurations.**
- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

BX2460TRS (HP)	60 x 24 x 29.2	69	29	\$1594
BX2466TRS (HP)	66 x 24 x 29.2	74	31.75	\$1659
BX2472TRS (HP)	72 x 24 x 29.2	80	34.75	\$1680

BX3060TRS (HP)	60 x 30 x 29.2	72	35.75	\$1668
BX3066TRS (HP)	66 x 30 x 29.2	78	39.25	\$1751
BX3072TRS (HP)	72 x 30 x 29.2	84	42.5	\$1769

Table features a flip-top worksurface for ease of storage. Bubble edge options **(BB)** or **(BS)** only apply (edge option **(A3)** is not applicable on trapezoid tables). Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

BX24KSS (HP)	51 x 24 x 29.2	69	24.75	\$1568
BX30KSS (HP)	62 x 30 x 29.2	79	36.75	\$1747

Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Modesty panels or filler panels are NOT available.

- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

BX24WES (HP)	63 x 24 x 29.2	76	33	\$2031
BX30WES (HP)	70 x 30 x 29.2	84	33	\$2057




Table features a flip-top worksurface for ease of storage. When **(BB)** or **(BS)** edge option is specified, surface corners are radiused; when **(A3)** edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 55.

- Standard with locking casters, specify Black **(TBC)** or Tungsten **(TTC)**.

Required specifications

Top finish*
Edge detail*
Leg finish*


Optional specifications

Grommet*
Power block cut-out*

Accessories

Power block*


MODESTY PANELS - FLIP-TOP - SQUARE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
------------------------------------	---------	------------	--------	-----------	------------	--------



Modesty Panel - Square

	W x D x H				
BX36QMP	21 x 0.69 x 9.6	6	0.9	\$97	
BX42QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BX48QMP	33 x 0.69 x 9.6	9	1.2	\$109	
BX60QMP	45 x 0.69 x 9.6	12	1.6	\$117	
BX66QMP	51 x 0.69 x 9.6	13	1.8	\$123	
BX72QMP	57 x 0.69 x 9.6	14	2	\$127	


For use on **flip-top rectangular tables**. Includes hinged mounting bracket.
Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.
• Modesty panel model number indicates the width of table to be used on.



Modesty Panel - Square

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101
BXL72QMP	33 x 0.69 x 9.6	9	1.2	\$109

For use on **flip-top trapezoid tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.
Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.
• Modesty panel model number indicates the width of table to be used on.



Modesty Panel - Square

BXWQMP	27 x 0.69 x 9.6	7	1.1	\$101
--------	-----------------	---	-----	-------

For use on **flip-top wedge tables**. Includes hinged mounting bracket. Intended for use on the short side of the table.
Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.
• Modesty panel model number indicates the width of table to be used on.

Required specifications
Modesty panel finish
Edge finish



Designed by Zoey Chu, Junction provides an affordable solution for your table applications. Choose from a variety of table top designs: rectangular, half round, trapezoid and keystone to create a unique table for your boardroom, classroom or presentation room application.

A freestanding or shared leg configuration with the unique “Y” leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.

Features and Benefits

- Tops are 1" thick and constructed of 45 lb. density particle board.
- 2mm matching edge is standard.
- Optional radius corners (**RM**) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- Junction tops are available in Global laminate finishes with two leg options.



Y leg design.



Modesty panel.



Shared leg configuration provides more legroom and decreases the overall costs.

GENERAL INFORMATION

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications.
- Unique design by Zooey Chu.
- Half round, trapezoid and keystone tops are available to create a variety of package configurations.
- Rectangular tops are available in 24" and 30" depths.
- Optional modesty panels with integrated wire troughs are available.
- Optional large electrical manager provides a safe environment for equipment wires.
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board.
- Laminate finishes are high pressure.

CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity.
- Tops are predrilled with threaded steel inserts.
- Adjustable levelers offer up to 1" adjustability.

EDGE DETAIL

- Global's preferred matching edge is standard.
- Optional radius corners (**RM**) are available on rectangular tops at no upcharge.

LEGS

- Unique Y design.
- Straight leg available for assembly with half round tops and keystone tops.
- Heavy duty steel construction.
- Coated with environmentally friendly recycled paint that provides a durable finish.
- Black plastic leveling glides offer $\frac{5}{8}$ " adjustability.
- Available in Black (**TBL**), Cloud (**TIV**), Designer White (**TDW**), Fog (**TFO**), Frost (**TFR**), Kalua (**TKA**), Latte (**TLA**), Mocha (**TMO**), Nevada (**TNE**), Sand (**TSN**), Shadow (**TSH**), Toast (**TOA**) or Tungsten (**TTU**) finish.
- Y legs: 21.5" leg span - 24"D top, 24.5" leg span - 30"D top.

CASTERS

- Optional casters are available.
- 1.5" dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides.
- Suggested for carpeted surfaces.
- Available in Black only.
- Sold in packages of two.

GANGING

- Ganging plates are available for ganging workstations together.
- Ganging plates are Black epoxy coated steel plates with two thumbscrews.
- Provides maximum stability and torque reduction.

WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors.
- 3.5" high x 4.25" deep Black PVC channel attaches to the underside of top.

SPECIFICATIONS

- Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Legs:

TBL	Black	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TFO	Fog	TSH	Shadow
TFR	Frost	TOA	Toast
TKA	Kalua	TTU	Tungsten
TLA	Latte		


3. SPECIFY OPTIONS

MODESTY PANELS

- 11.25" high panel attaches to the underside of worksurface top.
- Standard with integrated wire trough.
- Available in Black PVC.





GROMMETS

- Grommets are available in **rectangular and trapezoid** tops (left, center or right). See below for available locations. Order as: **FOG1, FOG2** or **FOG3**. Add **\$91**. For **keystone** worksurface locations, order as **FOG2**. Add **\$91**.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.







- Grommets may be placed at non-standard locations. Order as: **CSG**. Add **\$132**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the **custom grommet location form** in the back reference section.

EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



MODPOWER DAISY CHAIN SOLUTION


- Add flexible power and USB charging to Junction **rectangular tables** only. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 88.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting (cannot be used with modesties). Specify cut-out option:
 - **MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **30" to 72" wide rectangular tables**. Add **\$91**.
 - **MPD** for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add **\$183**.



RECTANGULAR TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Rectangular Top*</p>		W x D x H				
		JNR2442 (HP)	42 x 24 x 1	31	1.25	\$315
		JNR2448 (HP)	48 x 24 x 1	35	1.4	\$340.50
		JNRU2454 (HP)	54 x 24 x 1	42	1.52	\$475.50
		JNRU2460 (HP)	60 x 24 x 1	47	1.67	\$505.50
		JNRU2466 (HP)	66 x 24 x 1	52	1.82	\$547.50
		JNRU2472 (HP)	72 x 24 x 1	57	2	\$585
		JNR3042 (HP)	42 x 30 x 1	38	1.51	\$372
		JNR3048 (HP)	48 x 30 x 1	44	1.7	\$405
		JNRU3054 (HP)	54 x 30 x 1	52	1.9	\$543
		JNRU3060 (HP)	60 x 30 x 1	59	2.1	\$579
		JNRU3066 (HP)	66 x 30 x 1	64	2.26	\$622.50
		JNRU3072 (HP)	72 x 30 x 1	70	2.5	\$663
		Predrilled with threaded steel inserts for freestanding and linking installations. Tops 54" and longer are standard with a 16 gauge steel support channel.				
HALF ROUND TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Half Round Top</p>		JNHFS2448 (HP)	48 x 24 x 1	34	1.4	\$375
		JNHFS2454 (HP)	54 x 27 x 1	38.25	1.52	\$472.50
		JNHFS3060 (HP)	60 x 30 x 1	53	1.67	\$502.50
		JNHFS3066 (HP)	66 x 33 x 1	58.3	1.82	\$646.50
		Predrilled with threaded steel inserts for freestanding and linking installations. Four legs are required for freestanding configurations.				
		<ul style="list-style-type: none"> • JNHFS2448/JNHFS2454 for use with 24" deep joining edge. • JNHFS3060/JNHFS3066 for use with 30" deep joining edge. 				
TRAPEZOID TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Trapezoid Top</p>		JNTT2448 (HP)	48 x 20.5 x 1	33	1.4	\$358.50
		JNTT2460 (HP)	60 x 20.5 x 1	41.25	1.67	\$435
		JNTT3060 (HP)	60 x 25.75 x 1	50.5	2.1	\$471
		JNTT3072 (HP)	72 x 25.75 x 1	61	2.5	\$537
		Predrilled with threaded steel inserts for freestanding and linking installations.				
		<ul style="list-style-type: none"> • JNTT2448/JNTT2460 for use with 24" deep joining edge. • JNTT3060/JNTT3072 for use with 30" deep joining edge. 				
KEYSTONE TOPS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Keystone Top*</p>		JN5S2424 (HP)	42 x 24 x 1	35	1.4	\$405
		JN5S3030 (HP)	54 x 30 x 1	53	2.1	\$517.50
		Predrilled with threaded steel inserts for freestanding and linking installations. Three legs are required for freestanding configurations.				
		<ul style="list-style-type: none"> • JN5S2424 for use with 24" deep joining edge. • JN5S3030 for use with 30" deep joining edge. 				









Required specifications
Finish

Optional specifications
Grommet*




Accessories
Power block*

MODESTY PANELS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H			
	JNMP42	29.19 x 6.92 x 11.25	3.7	1.5	\$186
	JNMP48	35.19 x 6.92 x 11.25	4.5	1.75	\$210
	JNMP54	41.19 x 6.92 x 11.25	5	2	\$234
	JNMP60	47.19 x 6.92 x 11.25	5.9	2.25	\$260
	JNMP66	53.19 x 6.92 x 11.25	6.6	2.5	\$274
	JNMP72	59.19 x 6.92 x 11.25	7.4	2.75	\$300
Modesty Panel	For use with JNR rectangular tops . 11.25" high, Black plastic, attractive ribbed design. Includes integrated wire trough. Connects to predrilled holes in table top.				

WIRE MANAGEMENT					
	JNEC5S	12.5 x 4.14 x 3.63	1	0.1	\$46
	JNEC42	41.75 x 4.14 x 3.63	2.52	0.33	\$117
	JNEC48	47.75 x 4.14 x 3.63	2.88	0.38	\$139
	JNEC54	53.75 x 4.14 x 3.63	3.24	0.43	\$153
	JNEC60	59.75 x 4.14 x 3.63	3.6	0.48	\$172
	JNEC66	65.75 x 4.14 x 3.63	3.96	0.53	\$172
	JNEC72	71.75 x 4.14 x 3.63	4.32	0.58	\$234
Wire Manager	For use with JNR rectangular tops . For managing additional wires and power connectors. 3.5" high Black PVC channel connects to predrilled holes in the table top.				

LEGS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>"Y" Leg</p>  <p>"Y" Leg</p>  <p>Straight Leg</p>	W x D x H				
	JNLEG24	2 x 21.5 x 27.3	10	2.5	\$170
	<p>Leg span is 21.5". Leveling glides are standard. For assembly with 24" deep tops.</p> <ul style="list-style-type: none"> List price is per each leg. See page 58 for available finishes. 				
 <p>"Y" Leg</p>  <p>Straight Leg</p>	JNLEG30	2 x 24.5 x 27.3	11	2.85	\$187
	<p>Leg span is 24.5". Leveling glides are standard. For assembly with 30" deep tops.</p> <ul style="list-style-type: none"> List price is per each leg. See page 58 for available finishes. 				
	JNLEG	2 x 1 x 27.3	6	1.3	\$155
 <p>"Y" Leg</p>  <p>"Y" Leg</p>  <p>Straight Leg</p>	<p>Leveling glides are standard. For assembly with half round and keystone tops. Mounting plate is 11" deep by 5" wide.</p> <ul style="list-style-type: none"> List price is per each leg. See page 58 for available finishes. 				

Required specifications
Finish (not JNECTxxxx)

CASTERS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
			W x D x H			
		JNCP	- x - x 1.5	-	-	\$30
Casters		<p>Set of 2 - 1.5" dual wheel casters, one locking. Suggested for carpeted surfaces. Casters are fully interchangeable with glides. Black only.</p> <ul style="list-style-type: none">• For use with Junction units only.• Casters DO NOT affect table height.				
ACCESSORIES						
		JNTS	1.25 x 1.25 x 1.5	-	-	\$17
		<p>Triangular thumbscrew with 0.75" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "Y" legs to tops without tools. Black only.</p>				
		JNGFP	2.5 x 5 x 1.13	0.2	0.1	\$28
		<p>Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.</p>				


tables

reception and occasional



Citi

64



Occasional tables

65



River+

67



Sirena

69




Soda

70



Wind

71



CITI TABLES

Notes:


- Citi tables complement the contemporary timeless decor of many offices.
- Legs are **standard** in Tungsten (**TTU**) and also available in Black (**TBL**) finish at no upcharge. A Chrome (**CHM**) finish is available. **Add \$68.**
- Table tops are available in either tempered glass or laminate.
- Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

CITI TABLES

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE


W x D x H



End Table

7885 (laminate top)	20 x 24 x 20	45	6	\$715
7886 (glass top)	20 x 24 x 20	52	6	\$934


Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.



Coffee Table - Rectangular

7887 (laminate top)	40 x 20 x 15	50	6.5	\$747
7888 (glass top)	40 x 20 x 15	65	6.5	\$1079

Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.



Coffee Table - Square

7889 (glass top)	33 x 33 x 15	80	8.75	\$1283
---------------------	--------------	----	------	---------------

Metal tubular legs. Tempered glass top. Shipped assembled in 1 carton.

Required specifications




Top finish
Leg finish

CYLINDER AND CUBE OCCASIONAL TABLES

Notes:

- High pressure laminate exterior with adjustable plastic glides.
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments.
- Ideal for reception areas - colors coordinate with all Global desks, conference tables and accessories.
- Shipped assembled in 1 carton.
- WT/LB. are shipping weights.
- Available to either match or coordinate with most Global laminate desk series. Available finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SGG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

CYLINDER AND CUBE OCCASIONAL TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Premium Cylinder Tables</p>	W x D x H				
	CPFD1816	18 x - x 16	23	6.5	\$832
	CPFD1821	18 x - x 21	26.5	8	\$856
	CPFD2416	24 x - x 16	32.5	11	\$865
	CPFD2421	24 x - x 21	35	12.5	\$886
	CPFD3016	30 x - x 16	45.5	15.5	\$1024
	CPFD3021	30 x - x 21	48	17	\$1079
¹¹ / ₃₂ " thick flexible plywood covered in high pressure laminate. Adjustable plastic glides. Flush base.					
 <p>Premium Plinth Cylinder Tables</p>	CPPD1816	18 x - x 16	27.5	6.5	\$877
	CPPD1821	18 x - x 21	31	8	\$898
	CPPD2416	24 x - x 16	38.7	11	\$908
	CPPD2421	24 x - x 21	41.2	12.5	\$931
	CPPD3016	30 x - x 16	54.5	15.5	\$1038
	CPPD3021	30 x - x 21	57	17	\$1138
	¹¹ / ₃₂ " thick flexible plywood covered in high pressure laminate. Adjustable plastic glides. Recessed base.				
 <p>Cube Table</p>	CU1816	18 x 18 x 16	26	3.3	\$502
	CU1821	18 x 18 x 21	30	4	\$544
	CU2416	24 x 24 x 16	38	6	\$526
	CU2421	24 x 24 x 21	43.5	7	\$569
	CU3016	30 x 30 x 16	50.8	6.5	\$553
	CU3021	30 x 30 x 21	57.5	8	\$595
	0.75" thick plywood covered in high pressure laminate. Adjustable plastic glides. Flush base.				

Required specifications

Finish

0 OCCASIONAL TABLES

CYLINDER AND CUBE OCCASIONAL TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
-------------------------------------	---------	------------	--------	-----------	------------

W x D x H					
CUP1816	18 x 18 x 16	28	3	\$545	
CUP1821	18 x 18 x 21	33.5	4	\$586	
CUP2416	24 x 24 x 16	41.5	6	\$573	
CUP2421	24 x 24 x 21	48	7	\$615	
CUP3016	30 x 30 x 16	53.8	6.5	\$638	
CUP3021	30 x 30 x 21	62.3	8	\$695	

Plinth Cube Table

0.75" thick plywood covered in high pressure laminate. Adjustable plastic glides. **Recessed base.**

CY1816	18 x - x 16	21	3.3	\$465	
CY1821	18 x - x 21	27	4.3	\$512	
CY2416	24 x - x 16	33	6	\$485	
CY2421	24 x - x 21	39	7	\$526	
CY3016	30 x - x 16	44.5	8	\$573	
CY3021	30 x - x 21	52.7	11	\$616	

Cylinder Table

0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. **Flush base.**

CYP1816	18 x - x 16	26.5	3.3	\$502	
CYP1821	18 x - x 21	32	4.3	\$545	
CYP2416	24 x - x 16	40	6	\$522	
CYP2421	24 x - x 21	46	7	\$564	
CYP3016	30 x - x 16	52.3	8	\$614	
CYP3021	30 x - x 21	60.5	11	\$654	

Plinth Cylinder Table

0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. **Recessed base.**

Required specifications
Finish

RIVER+ TABLES

Notes:

- River+ tables are made with high pressure laminate and are offered in following finishes to coordinate with Global casegoods and wood seating:

ACJ Absolute Acajou

ASN Asian Night

AWC Avant Cherry

AWH Avant Honey

BLK Black

BZD Blizzard

BRC Brushed Cobalt

CMB Clear Maple

CGY Custom Grey

DES Dark Espresso

DWT Designer White

FAS Fashionista

FCL First Class

NBL Noce Biondo

NGL Noce Grigio

NEL Noce Leggero

NML Noce Medio

QTM Quartered Mahogany

SBY Sheer Beauty

SDT Stonedust

SOG Storm Grey

WHE Walnut Heights

WHC White Chocolate

WCR Winter Cherry
- Legs are straight as standard in Chrome (**CHM**) with Black non-marking height adjustable glides.
- Legs are also available in the following finishes: Black (**TBL**), Cloud (**TIV**), Designer White (**TDW**), Fog (**TFO**), Frost (**TFR**), Kalua (**TKA**), Latte (**TLA**), Mocha (**TMO**), Nevada (**TNE**), Sand (**TSN**), Shadow (**TSH**), Toast (**TOA**) and Tungsten (**TTU**). No upcharge. Please specify.
- The unique tapered legs are made of welded steel, with each leg bolted directly to the unit frame. All units have the same standard leg height of 6.5". The leg height makes it easier to clean under the product. Legs are also available in 3" and 8" heights. All heights are available with fixed-to-floor option. Please specify:

(S6) Standard height (6.5") w/adjustable glides. No upcharge.

(S3) Low (3") w/adjustable glides. No upcharge.

(S8) High (8") w/adjustable glides. No upcharge.


(F6) Standard height (6.5"), fixed to floor. **Add \$90.**


(F3) Low (3"), fixed to floor. **Add \$90.**

(F8) High (8"), fixed to floor. **Add \$90.**
- Products can be weighted to reduce the ease of movement. For additional weight options, please specify (**CW**) - see each model for available additional weight and upcharge.
- Tables can be specified with power/USB units, which include one power outlets, one double USB terminals and a Black 120" 3-prong power cord in predetermined locations - **E1**, **E2**, **F3** or **T1** as shown in the electrical illustrations below. Electrical units must be factory installed. **Add \$881** per unit.
- Power/USB units are available with either Jet Black (**J**) face plate with Black power/USB receptacles or with a White (**W**) face plate with White power/USB receptacles.
- Tamperproof fasteners (**TP**) are available. Please specify. **Add \$119.**
- Refer to the Seating price list, under lounge seating for the full range of River+ products available.

ELECTRICAL PLACEMENT







Coffee Tables



RIVER+ TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <div>24" Square Laminate Coffee Table</div>		W x D x H			
	R27855	24 x 24 x 17	40	10.7	\$1329
Freestanding unit only. For additional weight, please specify (CW). Add \$533 for 36 lbs. Power/USB units can be specified in position F3 or T1 only. Add \$881.					

Required specifications	Optional specifications
Top finish	Power/USB finish
Leg finish/height	Power/USB location
	Tamperproof

R RIVER+ TABLES

RIVER+ TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 30" Square Laminate Coffee Table  36" Square Laminate Coffee Table  42" Square Laminate Coffee Table  Rectangular Laminate Coffee Table  36" Dia. Round Laminate Coffee Table  42" Dia. Round Laminate Coffee Table	W x D x H				
	R27856	30 x 30 x 17	53	15.3	\$1392
	Freestanding unit only. For additional weight, please specify (CW). Add \$400 for 27 lbs. Power/USB units can be specified in position F3 or T1 only. Add \$881.				
	R27857	36 x 36 x 17	75	20.6	\$1541
	Freestanding unit only. No additional weight is required. Power/USB units can be specified in position F3 or T1 only. Add \$881.				
	R27858	42 x 42 x 17	115	26.7	\$1706
	Freestanding unit only. No additional weight is required. Power/USB units can be specified in position F3 or T1 only. Add \$881.				
	R27859	40 x 20 x 17	55	14.2	\$1400
	Freestanding unit only. For additional weight, please specify (CW). Add \$267 for 18 lbs. Power/USB units can be specified in position E1, E2 or T1 only. Add \$881.				
	R27860	36 x 36 x 17	63	15.3	\$1729
	Freestanding unit only. For additional weight, please specify (CW). Add \$267 for 18 lbs. Power/USB units can be specified in position T1 only. Add \$881.				
	R27861	42 x 42 x 17	85	20.6	\$1889
	Freestanding unit only. No additional weight is required. Power/USB units can be specified in position T1 only. Add \$881.				

Required specifications	Optional specifications
Top finish	Power/USB finish
Leg finish/height	Power/USB location
	Tamperproof

SIRENA TABLES

Notes:

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

- Laminate tops are 1" thick to coordinate with Global casegoods and wood seating.
- Table legs are available in Black (**TBL**) or Tungsten (**TTU**) at no upcharge. Not available in Chrome.
- Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Coffee Table</p>		W x D x H			
	3400 (laminated top)	48 x 22 x 14.5	44	17.25	\$1214
	Rectangle coffee table.				

Required specifications

Top finish

Leg finish



S SODA TABLES

SODA TABLES

Notes:

- 1" thick thermally fused laminate top surface with 2mm matching edgeband.
- Tables are standard with a Chrome frame with clear polycarbonate glides and are suitable for carpet, rubber or concrete flooring.
- Meets applicable ANSI/BIFMA standards.
- Soda tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
CMB	Clear Maple	WHC	White Chocolate
DES	Dark Espresso	WCR	Winter Cherry
DWT	Designer White		

SODA TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 30" Round Table	W x D x H				
	MVL13016	30 x 30 x 15.25	40	13	\$445
Shipped assembled in 1 carton.					
 30" Square Table	MVL13023	30 x 30 x 15.25	45	13	\$445
Shipped assembled in 1 carton.					






WIND TABLES

Notes:

- Wind tables complement the modern decor of many offices.
- Legs are standard in Chrome (**CHM**). Also available in Black (**TBL**), Shadow (**TSH**) or Tungsten (**TTU**) finish at no upcharge.
- 1" laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating:



ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SGG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

- High pressure laminate (**HPL**) tops are available at a 20% upcharge for models 3366, 3367, 3368, 3870 and 3871. Please specify HPL in addition to the finish. HPL not available for models 3878, 3879 and 3880.

WIND TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 End Table  Rectangular Coffee Table  Square Coffee Table  Round Table  Round Coffee Table	W x D x H				
	3366 (laminate top)	24 x 24 x 17	24	11.5	\$661
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3367 (laminate top)	48 x 20 x 15	39	16	\$886
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3368 (laminate top)	36 x 36 x 15	50	22	\$1214
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3870 (laminate top)	24 x 24 x 17	30	11.5	\$721
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				
	3871 (laminate top)	36 x 36 x 15	50	22	\$1115
	Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.				

Required specifications	Optional specifications
Top finish	Edge detail Leg finish

W WIND TABLES

WIND TABLES		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	Freestanding Rectangular End Table	W x D x H				
		3878	20 x 25 x 16	30	11.5	\$1112
		Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.				
	Freestanding Corner Table	W x D x H				
		3879	25 x 25 x 16	32	11.5	\$1241
		Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.				

Required specifications	Optional specifications
Top finish	Edge detail
	Leg finish



Productivity Solutions 74



Newland 92



Productivity Solutions by Global is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to fit you and your technology and fully integrate with Global products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = move + match + support



Monitor arm



Power/data module



Lift-N-lock keyboard mechanism



Manual height adjustable desk

Features and Benefits

- Electric height adjustable table with 18.51" height range.
- Manual height adjustable table has counterbalanced spring mechanism.
- Five keyboard support mechanisms.
- Four keyboard trays.
- New monitor arm options.
- Wire management and power/data options.
- For environmental certifications, please visit globalfurnituregroup.com.

MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism.
- Exceptional ergonomic alternative to traditional desk.
- Sit-stand design promotes increased circulation, improving performance and comfort.
- Can be used alone or in conjunction with Global desking products.
- Tops and bases sold separately.

Please note: Global desk tops are 1".

TOP FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

CONSTRUCTION

- 1" thick tops constructed of 45 lb. density particle board with high performance laminate and Global's preferred matching edging.

DIMENSIONS

- When designing workstations, leave 1" clearance on either side to prevent finger pinch.

EDGE

- 2mm edge in matching color.

BASE

- Heavy duty steel formed legs with radius detail are available in Black only.
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish. Black only.
- Black plastic leveling glides offer 0.5" adjustability.

MECHANISM


- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17" when surface height is 26".
- 7 year warranty.



SHIPPING

- Easy to assemble with Phillips or Robertson screwdriver.

GROMMETS

- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: **FOG1**, **FOG2** or **FOG3**. **Add \$91**.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.



MANUAL HEIGHT ADJUSTABLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Rectangular Table</p>  <p>2.5" Locking Wheel Casters</p>	W x D x H				
	Tops				
	HTM2446T (HP)	46 x 24 x 1	32	1.5	\$278
	HTM2458T (HP)	58 x 24 x 1	40	2	\$348
	HTM3046T (HP)	46 x 30 x 1	40	2	\$337
	HTM3058T (HP)	58 x 30 x 1	50	2.5	\$425
	Base				
	KEZLIFT	35.93 x 24 x 25.53	88	5.4	\$1708 N/A
	Tops (HTMXXXXT) sold separately from base (KEZLIFT). Paddle activated height adjustable base. Height adjustable from 26" to 46". Keyboard tray and mechanism not necessary. Easy to assemble.				
	KEZLCSTR	2 x 2 x 2.5	3	0.17	\$20 N/A
	Pack of four locking casters. Interchangeable on site with levelers on KEZLIFT base. Suitable for hard floors.				

Required specifications
Finish


Optional specifications
Grommet

PET FELT PRIVACY SCREEN AND MODESTY PANELS

- PET Felt privacy screens and modesty panels add seated privacy to open plan deskings or tables.
- 9mm thick PET Felt offered in 9 finishes: Black (**BLK**), Brick (**BRI**), Denim (**DEN**), Harvest (**HVT**), Graphite (**GPH**), Mist (**MTS**), Pewter (**PWT**), Shamrock (**SHR**) and White (**WHT**).
- Made from 100% PET (polyester) fiber with a high content of post-recycled material (50%), free of added chemicals, binders and adhesives.
- Lightweight material is tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly.
- Variation in fiber mix and color are inherent to the character of the product.
- Requires a free clear edge of 1.5"D x length of privacy screen or modesty panel for mounting.
- Privacy screen upmount brackets adapt to 1" thick TFL or 1¹/₁₆" thick HPL tops and do not mar the top surface.

PET FELT PRIVACY SCREEN


MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
PT9PP3013-1	30 x 0.36 x 12.5	2.1	0.6	\$184
PT9PP3613-1	36 x 0.36 x 12.5	2.4	0.7	\$195
PT9PP4213-1	42 x 0.36 x 12.5	2.6	0.8	\$261
PT9PP4813-1	48 x 0.36 x 12.5	3.3	0.9	\$272
PT9PP5413-1	54 x 0.36 x 12.5	3.6	1	\$340
PT9PP6013-1	60 x 0.36 x 12.5	3.8	1.1	\$350
PT9PP6613-1	66 x 0.36 x 12.5	4.5	1.3	\$416
PT9PP7213-1	72 x 0.36 x 12.5	4.8	1.4	\$426
PT9PP7813-1	78 x 0.36 x 12.5	5	1.5	\$437



PET Felt Privacy Screen - 1pk.

PET Felt Privacy Screen available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only.

- Up to 42"w - 2 clamps per
- 48"-60"w - 3 clamps per
- 66"-78"w - 4 clamps per




PET Felt Privacy Screen - 4pk.

PT9PP3013-4	30 x 0.36 x 12.5	7.6	0.6	\$701
PT9PP3613-4	36 x 0.36 x 12.5	8.6	0.7	\$741
PT9PP4213-4	42 x 0.36 x 12.5	9.5	0.8	\$1001
PT9PP4813-4	48 x 0.36 x 12.5	11.9	1	\$1041
PT9PP5413-4	54 x 0.36 x 12.5	12.8	1.1	\$1305
PT9PP6013-4	60 x 0.36 x 12.5	13.8	1.2	\$1340
PT9PP6613-4	66 x 0.36 x 12.5	16.2	1.3	\$1600
PT9PP7213-4	72 x 0.36 x 12.5	17.1	1.4	\$1636
PT9PP7813-4	78 x 0.36 x 12.5	18	1.5	\$1669

Pack of four PET Felt Privacy Screens available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only.

- Up to 42"w - 2 clamps per
- 48"-60"w - 3 clamps per
- 66"-78"w - 4 clamps per



PET Felt Privacy Screen - 12pk.




PT9PP3013-12	30 x 0.36 x 12.5	21.6	1.9	\$2060
PT9PP3613-12	36 x 0.36 x 12.5	24.3	2.3	\$2171
PT9PP4213-12	42 x 0.36 x 12.5	26.9	2.6	\$2945
PT9PP4813-12	48 x 0.36 x 12.5	33.8	3	\$3052
PT9PP5413-12	54 x 0.36 x 12.5	36.4	3.4	\$3837
PT9PP6013-12	60 x 0.36 x 12.5	39	3.7	\$3933
PT9PP6613-12	66 x 0.36 x 12.5	45.9	4.2	\$4706
PT9PP7213-12	72 x 0.36 x 12.5	48.5	4.5	\$4801
PT9PP7813-12	78 x 0.36 x 12.5	51.1	4.9	\$4897

Pack of twelve PET Felt Privacy Screens available in nine finishes, please specify finish. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only.

- Up to 42"w - 2 clamps per
- 48"-60"w - 3 clamps per
- 66"-78"w - 4 clamps per

Required specifications

Finish





PET FELT MODESTY PANEL	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>PET Felt Modesty Panel - 1 pk.</p>		W x D x H			
	PT9MP3013-1	30 x 0.36 x 12.5	2.1	0.6	\$160
	PT9MP3613-1	36 x 0.36 x 12.5	2.4	0.7	\$172
	PT9MP4213-1	42 x 0.36 x 12.5	2.6	0.8	\$227
	PT9MP4813-1	48 x 0.36 x 12.5	3.3	0.9	\$238
	PT9MP5413-1	54 x 0.36 x 12.5	3.6	1.03	\$305
	PT9MP6013-1	60 x 0.36 x 12.5	3.8	1.1	\$315
	PT9MP6613-1	66 x 0.36 x 12.5	4.5	1.3	\$371
	PT9MP7213-1	72 x 0.36 x 12.5	4.8	1.4	\$381
	PT9MP7813-1	78 x 0.36 x 12.5	5	1.5	\$390
 <p>PET Felt Modesty Panel - 4 pk.</p>					
	PT9MP3013-4	30 x 0.36 x 12.5	7.6	0.6	\$611
	PT9MP3613-4	36 x 0.36 x 12.5	8.6	0.7	\$651
	PT9MP4213-4	42 x 0.36 x 12.5	9.5	0.8	\$866
	PT9MP4813-4	48 x 0.36 x 12.5	11.9	1	\$906
	PT9MP5413-4	54 x 0.36 x 12.5	12.8	1.1	\$1169
	PT9MP6013-4	60 x 0.36 x 12.5	13.8	1.2	\$1205
	PT9MP6613-4	66 x 0.36 x 12.5	16.2	1.3	\$1420
	PT9MP7213-4	72 x 0.36 x 12.5	17.1	1.4	\$1455
	PT9MP7813-4	78 x 0.36 x 12.5	18	1.5	\$1490
 <p>PET Felt Modesty Panel - 12 pk.</p>					
	PT9MP3013-12	30 x 0.36 x 12.5	21.6	1.9	\$1790
	PT9MP3613-12	36 x 0.36 x 12.5	24.3	2.3	\$1902
	PT9MP4213-12	42 x 0.36 x 12.5	26.9	2.6	\$2538
	PT9MP4813-12	48 x 0.36 x 12.5	33.8	3	\$2646
	PT9MP5413-12	54 x 0.36 x 12.5	36.4	3.4	\$3432
	PT9MP6013-12	60 x 0.36 x 12.5	39	3.7	\$3527
	PT9MP6613-12	66 x 0.36 x 12.5	45.9	4.2	\$4164
	PT9MP7213-12	72 x 0.36 x 12.5	48.5	4.5	\$4260
	PT9MP7813-12	78 x 0.36 x 12.5	51.1	4.9	\$4356

Required specifications

Finish

MONITOR ARMS

- Free up valuable space on surfaces.
- Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- Clamps on worksurfaces 0.5" to 2.625" thick.
- For use in grommets up to 3.5" wide.
- Built-in cable management.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm).
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.
- Available finishe: Silver (**SIL**) standard (except where noted otherwise).


MONITOR ARMS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 G7 Single Monitor Arm  G7 Double Monitor Arm  G7 Mini Slide for Monitor Arm  Single Screen Double Extension Arm - Light Duty	W x D x H				
	PSMA1	- x 5.5 x 21	6.6	0.4	\$418
	For use with a monitor weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 20.5" extension from rear of desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34". Some assembly required. Tungsten finish only. Also accommodates mini slide arm PSMS.				
	PSMA2	- x 5.5 x 21	12.8	1	\$734
	For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 20.5" extension from rear of desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34" (per arm). Some assembly required. Tungsten finish only. Also accommodates mini slide arm PSMS.				
	<i>*Must be specified with quantity two (2) PSMS mini slides for monitor arms, not included.</i>				
	PSMS	11 x 6 x 4.5	3.3	0.3	\$145
	The mini slide is for use with PSMA1 and PSMA2 monitor arms only. Provides 9" of lateral adjustment for the monitor and allows for better positioning of monitors when used side by side. Some assembly required. Tungsten finish only.				
	<ul style="list-style-type: none">• If for PSMA1, order one (1)• If for PSMA2, order two (2)				
	M7750LD	5.5 x 4.5-22.7 x 24.4	7.5	1.12	\$512
	For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required.				
	<ul style="list-style-type: none">• Also available in Black finish #M7750LDB or White finish #M7750LDW.				

Required specifications
Finish

KEYBOARD TRAYS

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H




27" HDPE Tray

KT27M02	27.5 x 11.5 x 0.38	6	0.4	\$263
---------	--------------------	---	-----	-------

Allows mouse to be easily positioned at the same height as, and to the left or right of the keyboard. Palm rest is easily removable. Includes anti-slip strips. High density polyethylene (HDPE) surface material. Self-skinned urethane (SSU) palm rest. Compatible with all Global keyboard mechanisms.

- *Specify mechanism separately, see pages 81-81.*




Tray with Height Adjustable
Mouse Support - Black

KTMT03	23 x 11.5 x 2.8	5.8	0.6	\$284
--------	-----------------	-----	-----	-------

Low profile tray with highly adjustable mouse support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes mouse fence with cable manager and anti-slip strips. Keyboard tray is 23"W x 11.5"D and mouse support is 11" in diameter. Tray support material a compact phenolic panel, mouse tray in ABS plastic. Plug-in gel-feel foam palm rest.

- *Specify mechanism separately, see pages 81-81.*

KEYBOARD TRAYS / MECHANISMS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
-----------------------------	---------	------------	--------	-----------	------------




Lift-N-Lock Keyboard Support Mechanism

	W x D x H			
KSM02-21	9 x 23.8 x 9.7	9.7	0.7	\$266
KSM02-18	7.4 x 19.7 x 8.2	8	0.6	\$266
KSM02-12	5 x 13.1 x 5.4	5.4	0.4	\$266

Knobless height adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Positive tilt lockout available by special order with extended lead time. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.



Slim Fit Keyboard Support Mechanism

Black


KSFK-21	7.5 x 23.8 x 4.75	5.4	0.6	\$266
KSFK-18	7.5 x 19.7 x 4.75	5.4	0.5	\$266
KSFK-12	7.5 x 13.1 x 4.75	5.4	0.5	\$266

Warm White

KSFK-21-W	7.5 x 23.8 x 4.75	5.4	0.7	\$274
-----------	-------------------	-----	-----	--------------

Super slim profile accommodates leg clearance requirements of more users. Knobless height adjustment and independent tilt adjustment. Positive tilt lockout available by special order with extended lead time. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.








Lift-N-Lock Sit-Stand Mechanism

KSM03-21	9 x 23.8 x 9.7	11.8	0.9	\$428
KSM03-18	7.4 x 19.7 x 8	9.7	0.7	\$428
KSM03-12	5 x 13.1 x 5.3	6.5	0.5	\$428

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Positive tilt lockout available by special order with extended lead time. Compatible with all Global keyboard mechanisms. Recommended for single users who alternate between sitting and standing. Swivels 360°.


- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately, see page 80.

KEYBOARD SUPPORT PACKAGES

<p>Packages consist of a keyboard tray with mouse support, keyboard mechanism and a 21.75" glide track which requires 21.75" of depth clearance under the surface for installation.</p> <p>Contact Customer Service for 18" and 12" glide track package pricing.</p>		
	KT27M02	KTMT03
	KP0202 \$529	KP0203 \$550
	KPSF02 \$529	KPSF03 \$550
	KP0302 \$691	KP0303 \$712

CPU HOLDERS

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H			



CPU Holder on Casters

PCPU-HC	5.5-9 x 15 x 9.25	8	0.45	\$149
---------	-------------------	---	------	-------







Adjusts 5.5" - 9." in width. Front locking casters. Assembly hardware included. Height without CPU is 9.25". Depth without CPU is 15". Black only.








CPU Holder on Glide Track

PCPU-GT	3.5 x 9.3 x 13.5	12.6	1.4	\$281
---------	------------------	------	-----	-------

Accepts tower CPUs with widths from 3.5" to 9.3" and heights from 12.5" to 22.5". 17" glide track and 360° swivel for easy access to rear of CPU. Steel and engineered resin construction.

POWER / DATA	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
 Cable Snake	PCSN01	3 x 2 x 31.25	2.1	0.2	\$115
	Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within cable snake. Length under desk is 31.25". Silver plastic only.				
 Cable Snake Extension	PCSN01E	3 x 2 x 18	2.1	0.2	\$92
	Extension kit to use with cable snake PCSN01. Additional 8 links extend cable snake up to 49" in length. Ideal for height adjustable tables. Silver plastic only.				
 DPC Slim Desktop 2 Power/USB-A and -C	PSDPC22W	4.88 x 2.25 x 2.25	2.5	0.5	\$449
	Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.				
 DPC Slim Desktop 3 Power/USB-A and -C	PSDPC32W	6 x 2.25 x 2.25	2.6	0.5	\$586
	Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.				
 Clamp Mount 2 Power/USB-A and -C	PS3525057	5.5 x 3.2 x 3	3	0.2	\$695
	PS3525002	5.5 x 3.2 x 3	3	0.2	\$695
 Under Mount 2 Power/USB-A and -C	PS3526057	5.5 x 2.8 x 1.8	3.2	0.2	\$695
	PS3526002	5.5 x 2.8 x 1.8	3.2	0.2	\$695
	Ashley Duo clamp mount module with two 15 amp 120 volt AC receptables; 2.4 amp USB-A port and 60 watt USB-C power delivery port. 10' cord with molded plug. UL listed. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws. PS3525057 - White module with Silver bracket. PS3525002 - Black module with Silver bracket.				
	Ashley Duo under mount module with two 15 amp 120 volt AC receptables; 2.4 amp USB-A port and 60 watt USB-C power delivery port. 10' cord with molded plug. UL listed. Mountable under most worksurfaces. PS3526057 - White module with Silver bracket. PS3526002 - Black module with Silver bracket.				

POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H			
	PS305057	5.5 x 3.2 x 3	3.01	0.05	\$537
	PS305002	5.5 x 3.2 x 3	3.01	0.05	\$537
					
	PS305157	5.5 x 2.8 x 1.8	3.2	0.05	\$468
	PS305102	5.5 x 2.8 x 1.8	3.2	0.05	\$468
					
	PTISL96GB	18 x 18 x 25.5	28	6.5	\$3573
	PTISL96GW	18 x 18 x 25.5	28	6.5	\$3573
					
	PTISL96SP	18 x 18 x 25.5	28	6.5	\$3573
					
	PPVST3WF	12 x 12 x 28.25	10	4.3	\$2113

Clamp Mount 2 Power/2 USB-A

Ashley Duo clamp mount power module with two 15 amp 120 volt AC receptables and two 2.1 amp USB-A ports. Includes 10' power cord with molded plug. Edge clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

PS305057 - White module with Silver bracket. PS305002 - Black module with Silver bracket.

Under Mount 2 Power/2 USB-A

Ashley Duo under mount power module with two 15 amp 120 volt AC receptables and two 2.1 amp USB-A ports. Includes 10' power cord with molded plug. Mountable under most worksurfaces. Installation template provided.

PS305157 - White module with Silver bracket. PS305102 - Black module with Silver bracket.



Isle Power Tower









Includes three (3) standard duplexes each with two (2) 110V power outlets; and three (3) USB-A + USB-C duplexes each with two (2) 110V power outlets, one (1) 55W USB-C power delivery port and one (1) 1.5A, 5V USB-A port. Total of twelve (12) 110V power outlets, three (3) USB-A and three (3) USB-C ports. 9' cord with molded plug.






Available in Gloss Black (**GB**), Gloss White (**GW**) and Silver Pearl (**SP**) as indicated by last letter of model number.

Vesta Portable Power Tower

Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports. 10' cord with plug. Matte White finish with Fog inserts.


POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Single Sided Recessed Power Block - USB-A + USB-C</p>		W x D x H			
	PRTMCS421B	10.78 x 4.22 x 4.86	4.5	0.51	\$759
	PRTMCS421T	10.78 x 4.22 x 4.86	4.5	0.51	\$759
	PRTMCS421W	10.78 x 4.22 x 4.86	4.5	0.51	\$759
<p>Single sided recessed power block with one power/USB-A/USB-C duplex and one data knockout on top; one power duplex on bottom. USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (B), Tungsten (T) or White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are R1, R2, R3 or RS.</p> <ul style="list-style-type: none"> • <i>Cannot be daisy-chained.</i> 					
 <p>Double Sided Recessed Power Block - USB-A + USB-C</p>	PRTMCD622B	10.78 x 6.22 x 4.86	6.1	0.51	\$831
	PRTMCD622T	10.78 x 6.22 x 4.86	6.1	0.51	\$831
	PRTMCD622W	10.78 x 6.22 x 4.86	6.1	0.51	\$831
<p>Double sided recessed power block with one regular power duplex, one power/USB-A/USB-C duplex and two data knockouts on top; one power duplex on bottom. USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (B), Tungsten (T) or White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2, T3 or TS.</p> <ul style="list-style-type: none"> • <i>Cannot be daisy-chained.</i> 					
 <p>Double Sided Recessed Power Block - USB-A + USB-C</p>	PRTMCD642B	10.78 x 6.22 x 4.86	6.3	0.51	\$1001
	PRTMCD642T	10.78 x 6.22 x 4.86	6.3	0.51	\$1001
	PRTMCD642W	10.78 x 6.22 x 4.86	6.3	0.51	\$1001
<p>Double sided recessed power block with two power/USB-A/USB-C duplexes and two data knockouts on top; one power duplex on bottom. USB -A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 86. Available in Black (B), Tungsten (T) or White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2, T3 or TS.</p> <ul style="list-style-type: none"> • <i>Cannot be daisy-chained.</i> 					

POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H				
	PTEL01	3.25 x 2 x -	0.01	0.05	\$319
Telecom Plate - 2 x 6	Includes 2 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor.				
	PTEL12	3.25 x 2 x -	1	0.1	\$319
	Includes 2 x RJ45 cat 6 data jacks. Grey telecom plate. To be hardwired by data contractor.				
	PTEL02	3.25 x 2 x -	0.01	0.05	\$314
	Includes 1 x RJ11 cat 3 phone jack and 2 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor.				
	PTEL03	3.25 x 2 x -	0.01	0.05	\$578
	Includes 4 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor.				
	PTEL13	3.25 x 2 x -	0.01	0.03	\$578
	Includes 4 x RJ45 cat 6 data jacks. Grey telecom plate. To be hardwired by data contractor.				
	PTEL04	3.25 x 2 x -	0.01	0.05	\$400
	Includes 1 x RJ45 cat 6 data jack, mini stereo and 15 pin HD VGA with female to male connector cable. Black telecom plate. To be hardwired by data contractor.				
	PTEL05	3.25 x 2 x -	0.01	0.05	\$745
	Includes mini stereo, 15 pin HD VGA with female to male connector cable and HDMI with female to female connector cable. Black telecom plate.				
	PTEL14	3.25 x 2 x -	1	0.1	\$745
	Includes mini stereo, 15 pin HD VGA with female to male connector cable and HDMI with female to female connector cable. Grey telecom plate.				

POWER / DATA	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
<div></div> <div>Telecom Plate - 1 USB-C and 1 USB-A</div> <div></div> <div>Powered USB Transformer</div> <div></div> <div>Telecom Plate - 2 USB-A</div> <div></div> <div>Telecom Plate - 2 RJ45 and 1 HDMI</div> <div></div> <div>Telecom Plate - 1 HDMI and 1 USB-A</div>	W x D x H				
	PTEL08	3.25 x 2 x -	1	0.1	\$277
	Includes one USB-C port with 20" male pigtail and one USB-A port with 72" pigtail. Requires powered USB transformer (model PUSBTRSF), to be ordered separately. Grey telecom plate.				
	PUSBTRSF	3.25 x 2 x -	1	0.03	\$183
	Provides power for PTEL08 - 25w, 100-240 VAC, 5-9VDC one USB-C and two USB-A female ports.				
	PTEL09	3.25 x 2 x -	1	0.1	\$372
	Includes two USB-A ports each with 72" patchcord. Grey telecom plate.				
	PTEL10	3.25 x 2 x -	1	0.1	\$765
	Includes two RJ45 Cat 6 data jacks and one HDMI with 36" male pigtail; female/female gender changer. Grey telecom plate.				
	PTEL11	3.25 x 2 x -	1	0.1	\$609
	Includes one HDMI female/female with 36" patchcord and one USB-A with 72" patchcord. Grey telecom plate.				

POWER SOLUTIONS FOR FLEXIBLE SPACES

- Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with 3-prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard **C22.2 No. 203-16**.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify **MPS** for a single centered cut-out on the approach side of the table or **MPD** for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out.
Cut-outs are available on the following series: **2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Adventure study carrels and Zook rectangular and flip-top tables**. Surface must be a minimum of 1/2" to a maximum of 1 1/2" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 1/2" to 1 1/2" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



MODPOWER DAISY-CHAIN SOLUTION



ModPower In-Surface Starter Unit

	W x D x H			
PMDSF10MG	7.63 x 2.75 x 2.63	3.44	1	\$597
PMDSF10WH	7.63 x 2.75 x 2.63	3.44	1	\$597

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.



ModPower In-Surface Middle Unit

PMDCF3MG	7.63 x 2.75 x 2.63	2.44	2.44	\$562
PMDCF3WH	7.63 x 2.75 x 2.63	2.44	1	\$562






Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.




ModPower In-Surface End Unit

PMDEF3MG	7.63 x 2.75 x 2.63	1.85	1	\$494
PMDEF3WH	7.63 x 2.75 x 2.63	1.85	1	\$494

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number.

MODPOWER MODULES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>ModPower On Surface Starter Unit</p>		W x D x H			
	PMDSA10MG	6.13 x 1.75 x 2.5	4.33	1	\$631
	PMDSA10WH	6.13 x 1.75 x 2.5	4.33	1	\$631
 <p>ModPower On Surface Middle Unit</p>					
	PMDCA3MG	6.13 x 1.75 x 2.5	3.3	1	\$597
	PMDCA3WH	6.13 x 1.75 x 2.5	3.33	1	\$597
 <p>ModPower On Surface End Unit</p>					
	PMDEA3MG	6.13 x 1.75 x 2.5	2.75	1	\$528
	PMDEA3WH	6.13 x 1.75 x 2.5	2.75	1	\$528
 <p>ModPower Cable Management Clips</p>					
	PMDCLIPS	2.6 x 2.5 x 0.6	0.3	0.2	\$102
	Package of 10 clips.				
 <p>ModPower Interconnecting Jumper</p>					
	PMDJ36BK	36 x - x -	1.38	0.9	\$329
	Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers.				


OFFICE ACCESSORIES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
--------------------	---------	------------	--------	-----------	------------




Wire Manager



Vertical Wire Manager



Corner Keyboard Plate*



Pencil Drawer

	W x D x H			
PEWM5.5	66 x 2 x 2	0.6	0.1	\$136
PEWM5	60 x 2 x 2	0.6	0.1	\$114
PEWM4.5	54 x 2 x 2	0.5	0.1	\$103
PEWM4	48 x 2 x 2	0.5	0.1	\$89
PEWM3.5	42 x 2 x 2	0.4	0.1	\$80
PEWM3	36 x 2 x 2	0.4	0.1	\$70
PEWM2.5	30 x 2 x 2	0.3	0.1	\$55
PEWM2	24 x 2 x 2	0.3	0.1	\$46
PEWM1.5	18 x 2 x 2	0.2	0.1	\$34
PEWM1	12 x 2 x 2	0.2	0.1	\$25

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black only.

PEVWM	22 x 2 x 2	0.3	0.1	\$46
-------	------------	-----	-----	-------------

From underside of worksurface to bottom panel. Capable of holding electrical and data wires in a vertical position. Black only. Attaches with two strips of double-sided tape.

PEEOCKS	18 x 18 x 1.12	6	0.3	\$79
---------	----------------	---	-----	-------------

Converts two 1" thick worksurfaces at 90° into a keyboard support corner. Finished in Black (**BLK**) or Tungsten (**TUN**) epoxy coating.

PEEPD	22.5 x 15 x 1.5	2	0.7	\$145
-------	-----------------	---	-----	--------------

Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside of any 24"D and 30"D worksurface with included roller slides. There are no specifications for Pencil Drawer.


- May be used with all Casegoods.





Required specifications
Finish*

QUICK ASSEMBLY ELECTRIC HEIGHT ADJUSTABLE BASE

GENERAL INFORMATION

- Quick assembly electric height adjustable bases with leg columns preassembled to telescopic cross bar assembly including electric motors. Unfold leg columns, attach feet and worksurface support to base; fasten assembly to top; plug in connections and start to use.
- 3-stage base. Range of adjustability with 1" thick top is 22.6" to 48.2"H.
- Easy to use up-down controller with digital read-out and four memory programmable positions.
- Dual motor with 265 lbs. lift capacity.
- Anti-collision sensor.
- Standby power consumption 0.1W. Active power consumption 220W.
- Operates at 1.2" per second.
- 8' long power cord.
- Meets applicable ANSI/BIFMA x5.5 standards.
- ETL/CETL and Greenguard Certified

ELECTRIC HAT COMPONENTS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
 <p>Quick Assembly Electric HAT - 3-Stage, 2-Leg Base Only</p>		W x D x H			
	MLIR30B	42.5 x 22.8 x 21.6-47.2	77.2	2.9	\$1049
	<p>Quick assembly 2-leg, 3-stage electric height adjustable table base. Beam and leg columns with motors are preassembled. Unfold leg columns and lock into place. Width adjustable for 46"W to 76"W tops. Specify base finish: Black (BLK) or Tungsten (TUN). Shipped partially assembled in 1 carton.</p> <p><i>Base can be used with all FreeFit surfaces of 23"D and 29"D, from 46"W to 70"W.</i></p>				

MOBILE PEDESTALS		MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	Box/File Mobile Pedestal	W x D x H				
		NLMP23BF	16 x 22.7 x 22.1	74	6.5	\$774
	Box/Box/File Mobile Pedestal					
		NLMP23BBF	16 x 22.7 x 28	93	8.25	\$925
PEDESTALS						
	Hanging Box/File Pedestal					
		NL23HBF	16 x 23 x 18	54	5.25	\$517
OTG ACCESSORIES						
	Desktop Short Partition					
		MLDTP3224	31.5 x 15.5 x 23.5	7	0.5	\$256

finishes

Care and Cleaning

Hard Surfaces

Laminate & painted metal finishes: Wipe the surface with a clean soft damp cloth; if needed, a mild soap solution (i.e. Ivory dishwashing liquid) can be used. To prevent streaks, dry the surface with a clean dry soft cloth moving in a circular motion.



Desks, Workstations, Tables and Accessories - Laminate

Absolute Acajou (ACJ)	Asian Night (ASN)	Avant Cherry (AWC)	Avant Honey (AWH)	Black (BLK)	Blizzard (BZD)
Brushed Cobalt (BRC)	Clear Maple (CMB)	Custom Grey (CGY)	Dark Espresso (DES)	Designer White (DWT)	Fashionista (FAS)
First Class (FCL)	Noce Biondo (NBL)	Noce Grigio (NGL)	Noce Leggero (NEL)	Noce Medio (NML)	Quartered Mahogany (QTM)
Sheer Beauty (SBY)	Stonedust SDT)	Storm Grey (SOG)	Walnut Heights (WHE)	White Chocolate (WHC)	Winter Cherry (WCR) *

Solid Wood and Laminate Coordinating Colors**Solid Wood Colors**

Absolute (AAM)
 Black (BKM)
 Cherry (ACM)
 Espresso Cafe (ECM)
 Fruitwood (TFM)
 Gray (HGM)
 Honey (AHM)
 Mahogany (TMM)
 Maple (AVM)
 Medium Walnut (MWM)
 Night (ASM)
 Noce Biondo (NBM)
 Noce Grigio (NGM)
 Noce Leggero (NEM)
 Noce Medio (NMM)
 Walnut (TWM)
 WC Cream (WTM)
 White (WHM)
 Winter Cherry (WCM)

Laminate Colors

Absolute Acajou (ACJ)
 Black (BLK)
 Avant Cherry (AWC)
 Dark Espresso (DES)
 -
 -
 Avant Honey (AWH)
 Quartered Mahogany (QTM)
 Clear Maple (CMB)
 -
 Asian Night (ASN)
 Noce Biondo (NBL)
 Noce Grigio (NGL)
 Noce Leggero (NEL)
 Noce Medio (NML)
 -
 White Chocolate (WHC)
 Designer White (DWT)
 Winter Cherry (WCR)

Metal Leg Finishes *(check series for applicable finishes)*

Antique Copper (ACO)	Black (TBL)	Brushed Chrome (BCH)	Buzz Blue (TBZ)	Cactus (TCC)	Carrot (TCR)
Cloud (TIV)	Chrome (CHM)	Designer White (TDW)	Dijon (TDJ)	Eggplant (TEG)	Fog (TFO)
Frost (TFR)	Ink (TIN)	Kalua (TKA)	Latte (TLA)	Mocha (TMO)	Nevada (TNE)
Sand (TSN)	Satin Brass (SBR)	Scarlet (TSR)	Shadow (TSH)	Toast (TOA)	Tungsten (TTU)

LAMINATE FINISH CHART

FINISH CODE	ACJ	ASN	AWC	AWH	BLK	BZD	BRC	CMB	CGY	DES	DWT	FAS	FCL	NBL	NGL	NEL	NML	QTM	SBY	SDT	SOG	WHE	WHC	WCR
LAMINATE DESKING																								
TABLES - CAFÉ, MEETING & CONFERENCE																								
Swap	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Zira boardroom	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - TRAINING																								
Bungee	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Junction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - RECEPTION & OCCASIONAL																								
Citi	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Occasional Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sirena Tables	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Wind Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PRODUCTIVITY SOLUTIONS																								
Height Adjustable Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

This illustrated list price book has been designed to facilitate fast reference and easy use. Products are categorized into “seating”, “desks”, “files”, “panels” or “tables” and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global Furniture Group (“Global”) products are made only on Global’s standard Terms and Conditions of sale which are contained in this list price book. The “Purchaser” in these Terms and Conditions shall refer to Dealers and those who originally purchase directly from Global for use or re-sale. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global’s authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global’s standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at time of publication. Global reserves the right to make changes at any time and without prior notice to prices, colors, materials, specifications and models offered.

Description

Each product shown or described in this list price book is standard Global product. Available options are noted at the beginning of each series. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this list price book as well as those quoted by Global, are in Canadian dollars for orders shipped to destinations in Canada.

If shipping date requested is more than 90 days from date of order, Global shall reserve the right to use published list prices effective at time of shipment.

Orders are invoiced at time of shipment. Terms of payment are net 30 days from date of invoice unless otherwise stated. The Purchaser agrees that Global shall reserve the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If the Purchaser’s most recent annual net volume is less than \$5,000, Global may suggest payment be made in advance.

All orders are subject to the Purchaser complying with Global’s prevailing credit policy.

Any products sold by Global shall remain the property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep the Purchasers up-to-date on all developments including price changes.

Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser’s responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser’s responsibility to furnish Global with an appropriate exemption certificate at time of order.

Ordering Information

Global requires that all orders be submitted in writing and will be acknowledged on Global’s acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser’s responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the Purchaser must notify their Global Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

At time of order, please provide the following information:

1. Account number (if possible)
2. PO number
3. “Bill to” and/or “Ship to” and name and address
4. Complete model number and selected options including textiles/finishes
5. Special instructions and tag information
6. Shipping instructions, please indicate:
 - a. pick up
 - b. Global trailer program
 - c. common carrier, provide name of carrier, your account number
7. Special quote (SQ) # or MTM # (if applicable)
8. Customer’s Own Material (COM), Global Purchased Material (GPM), Customer’s Own Leather (COL), see below.
9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote a new quote must be issued prior to submitting the order. It is the Purchaser’s responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

The above points will be checked by Global for accuracy. Global will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global prior to invoicing.

The Purchaser is responsible for providing correct information at time of order. If no option(s) are selected the system will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

Changes and Cancellations

After the date of Global’s acknowledgment of the Purchaser’s order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in “special order textiles” (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Errors and Omissions

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with C1 or C65 casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application. The Arm and Caster section illustrates the caster options offered by Global and their suggested uses.

FINISHES

Seating Finishes - Painted

Where painted frames are not a standard color, a special quote is required.

Seating Finishes - Wood Stains

A one time setup fee of \$250 net will be applied per order for custom wood staining/color matching requests. This payment will be valid for 5 years from the date it is set up. After 5 years, the \$250 setup fee will apply again. Restrictions may apply. The customer must provide a 3” x 3” color chip/sample.

For application of customer’s own wood stain, there will be an upcharge of 10% list price, per unit (in addition to the option upcharge, when applicable). For orders with custom stain unit quantities of 30 or more, the upcharge may be reduced or eliminated. A [Special Product Request](#) must be submitted for a quotation.

Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Specials department. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global will not necessarily match the wood species but rather will generate a color that will coordinate with the sample when it is applied to the wood species used in the seating frame.

File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global prior to acceptance of order and may be subject to an upcharge.

9300 Series, 9300 Plus Series et G Series Pedestals can be ordered in non-standard finishes with a 10% upcharge on orders up to and including 10 units. There is no upcharge on orders of 11 units or more.

Please note:

- You can only combine 9300 Series and 9300 Plus Series to meet the 11 unit minimum.

An upcharge of 10% will apply to Metallic, Mica, Tungsten and any non-standard White finishes regardless of the number of units ordered.

Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global will not be held responsible if the finishes cannot be matched.

Customer's Own Material (COM)

Use of COM must be approved by Global prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. **Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching.** Upon approval from Global, send textile to the COM Department at: 596 Supertest Road, Toronto ON, M3J 2M5. Send to the address provided on shipping document upon approval from Global. If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global's standard product warranty shall not apply to COM.

COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

Textile Grading

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade. See Textiles and Finishes section for graded textiles.

Combining two grades of textiles may result in a revised grade. Please refer to "Two Grades Combination Chart" in the Textiles and Finishes section. For more than two textiles a special quotation is required.

Global Purchased Material, Customer Specified (GPM)

Global may purchase material specified by the customer. Use of GPM must be approved by Global prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global's standard warranty will not apply to GPM materials.

Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

Upholstery Coverings

Slight variations in color may occur between dye lots. Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Leather is a Natural Product

Natural variations occur in the color, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its color changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

Yardage

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

Weight

In the Seating list price book, weight is provided for both unit weight and carton weight. In the Desking + Tables and Metal Filing + Storage list price books, carton weight is provided.

Delays

Global's order acknowledgment will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to the Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global will not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global.

Free on Board (FOB)

FOB point is Global's Factory, Toronto, Ontario, Canada.

Courier Type Shipments

This symbol is used to indicate that the adjacent product can be sent by courier type shipments, such as Federal Express, Purolator, CanPar and UPS.

Shipping

The Purchaser must select, at time of order, one of two methods of freight payment. Global will make no end-user shipments unless special arrangements have been made.

1. FOB point of shipment, freight collect - pick up and common carrier.
2. FOB point of shipment, freight prepaid and invoiced to the Purchaser - Global Trailer Program.

All deliveries are dock to dock.

Service

Service requests are normally the responsibility of Global's authorized Dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department.

Global/Express (Canada)

Tel: (905) 660-5101 or 1-800-567-8901

Fax: (905) 660-4759 or 1-800-375-5134

Global International

Tel: (416) 661-3660

Fax: (416) 661-661-0983 or 1-877-585-5579

Returns

No returns of goods will be accepted without written consent and shipping instruction from Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This may increase depending on the type of product. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Global will not be responsible

for return freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and COM products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

Claims

All goods are sold FOB plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the Purchaser, in writing, within 15 working days after any delivery. Failure by the Purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

Suspension

In the event that the Purchaser defaults in the payment of any sum due to Global, or in the event the Purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global.

Copyright

All catalogs, photographs, drawings, list price books and other printed materials are protected by copyright. All rights reserved.

Trademarks

All trademarks are owned by Global Furniture Group other than OBUSFORME™ which is owned by OBUSFORME LTD CO., a division of Homematics Inc., MOR-CARE which is owned by MORBERN INC, Perma-Mesh which is the property of J.B. Research Inc. SCHUKRA™ which is owned by SCHUKRA MANUFACTURING INC. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD CO.

Designs and Patents

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

For a full listing of issued trademarks, please visit globalfurnituregroup.com.

Cubic Measure

The stated volume is an approximate cubic foot measure that may be used to calculate freight costs. The figure shown is the total shipping volume of a unit (e.g. if a part is sent in 2 cartons the volume indicated reflects both cartons together) and is subject to change without notice. It is most economical to purchase the specified number per carton.

Combined Shipments

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such requests are not complied with.

Offer of Sale

Possession of this list price book or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current pricing found on Global's website, then the most current shall prevail.

Testing Qualifications

Many Global products pass or exceed the most stringent industry testing standards.

Disclaimer

Metric dimensions are provided for seating products for reference only. In the event that there is a discrepancy between imperial measurements and metric measurements, imperial measurements shall prevail. Prices shown are current manufacturer's suggested list prices at time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

Fire Codes

Flame resistant components are most often requested to be tested to comply with California Technical Bulletin 11, often referred to as CAL117. The foam used in Global chairs meets the requirements of California TB117 and all of the upholstery fabrics Global offers meet this requirement. In addition, most Global seating models can be certified to California TB133. This available certification can be done when selected seating models are upholstered in specific textiles. The list of certifiable seating models and available textiles changes from time to time. Please contact Customer Service for a list of certifiable models and upholstery materials. There are other fire codes that are not commonly specified. Global Upholstery Ltd. can usually provide test results for any North American code. Please contact Customer Service. Please see chart below for CAL TB 133 upcharges and for complete CAL TB 133 information refer to the Global Dealer Centre.

WARNING - SEATING PRODUCTS**TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:**

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.

This list price book is effective as of January 1, 2023.

For periodic updates, please check the PDF at globalfurnituregroup.com. After login, select Resources then Price Lists. From here you will have the option to select either the Seating, Desking + Tables or Metal Filing + Storage price list books. Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original Purchaser.

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week. Load restrictions apply, refer to individual product descriptions.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms, non-electrical table mechanisms, monitor arms, lecterns, coat trees and task lights - five (5) years
- Laminate folding tables - one (1) year
- Motorized electrical components - two (2) years
- Keyless lock options - two (2) years

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type	Components Warranty For Original Purchaser	Exceptions
Metal storage and filing	lifetime	keyless lock options - 2 years
Laminate/wood veneer desks and modular furniture	lifetime	tackboard textiles, electrical devices, task lights - 5 years
Boardroom, conference and training tables	lifetime	electrical devices - 5 years moving parts - 5 years
Panels	lifetime	panel textiles, electrical devices, task lights - 5 years
Coat racks and lecterns	5 years	none
Folding tables (laminate & molded)	1 year	none
Height adjustable tables	5 years	motorized parts (on electrical tables) - 2 years

Global's warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Color fastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products not purchased directly from authorized Global resellers
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on globalfurnituregroup.com

Global's warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global's discretion.

Textiles and Finishes

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

3366.....	71	BX2448RES (HP).....	54	GBT8MTP (HP).....	34	GRBTP36SF.....	25	GRH427241 (HP).....	40	GRTD5TPLK.....	35
3367.....	71	BX2460RES (HP).....	54	GBT8MTPLK.....	34	GRBTP36SK.....	25	GRH428429 (HP).....	40	GRTD5TPV.....	35
3368.....	71	BX2460TRS (HP).....	54	GBT8MTPV.....	34	GRBTP36V.....	25	GRH428436 (HP).....	40	GRTD6MTP (HP).....	35
3400.....	69	BX2466RES (HP).....	54	GBT8TP (HP).....	32	GRBTP42 (HP).....	27	GRH428441 (HP).....	40	GRTD6MTPLK.....	35
3870.....	71	BX2466TRS (HP).....	54	GBT8TPLK.....	32	GRBTP42LK.....	27	GRH429629 (HP).....	40	GRTD6MTPV.....	35
3871.....	71	BX2472RES (HP).....	54	GBT8TPV.....	32	GRBTP42SF.....	27	GRH429636 (HP).....	40	GRTD6TP (HP).....	35
3878.....	72	BX2472TRS (HP).....	54	GBT8WTP (HP).....	34	GRBTP42SK.....	27	GRH429641 (HP).....	40	GRTD6TPLK.....	35
3879.....	72	BX3042RES (HP).....	54	GBT8WTPLK.....	34	GRBTP42V.....	27	GRH486029 (HP).....	40	GRTD6TPV.....	35
7885.....	64	BX3048RES (HP).....	54	GBT8WTPV.....	34	GRBTP48 (HP).....	27	GRH486036 (HP).....	40	GSB13H25.....	24
7886.....	64	BX3060RES (HP).....	54	GBT10WTP (HP).....	34	GRBTP48LK.....	27	GRH486041 (HP).....	40	GSB19.....	26, 32
7887.....	64	BX3060TRS (HP).....	54	GBT10WTPLK.....	34	GRBTP48SF.....	27	GRH487229 (HP).....	40	GSB19H15.....	26
7888.....	64	BX3066RES (HP).....	54	GBT10WTPV.....	34	GRBTP48SK.....	27	GRH487236 (HP).....	40	GSB19H21.....	26
7889.....	64	BX3066TRS (HP).....	54	GBT12WTP (HP).....	34	GRBTP48V.....	27	GRH487241 (HP).....	40	GSB19H25.....	26, 32
B.....		BX3072RES (HP).....	54	GBT12WTPLK.....	34	GRBTP54 (HP).....	29	GRH488429 (HP).....	40	GSB19H35.....	26, 32
B24KSF (HP).....	49	BX3072TRS (HP).....	54	GBT12WTPV.....	34	GRBTP54LK.....	29	GRH488436 (HP).....	40	GSB19H41.....	26, 32
B24KSS (HP).....	49	BXL60QMP.....	52, 55	GBTD5HMTPLK (HP).....	36	GRBTP54SF.....	29	GRH488441 (HP).....	40	GSB23.....	28, 34
B24WVF (HP).....	50	BXL66QMP.....	52, 55	GBTD5HMTPLK.....	36	GRBTP54SK.....	29	GRH489629 (HP).....	40	GSB28.....	29
B24WVS (HP).....	50	BXL72QMP.....	52, 55	GBTD5HMTPV.....	36	GRBTP54V.....	29	GRH489636 (HP).....	40	GSBOT1620 (HP).....	23
B30KSF (HP).....	49	BXM60QMP.....	52, 55	GBTD5HTP (HP).....	36	GRBTP60 (HP).....	29	GRH489641 (HP).....	40	GSBOT1620LK.....	23
B30KSS (HP).....	49	BXM66QMP.....	52, 55	GBTD5HTPLK.....	36	GRBTP60LK.....	29	GRHB22H28.....	42	GSBOT1620V.....	23
B30WVF (HP).....	50	BXM72QMP.....	52, 55	GBTD5HTPV.....	36	GRBTP60SF.....	29	GRHB22H35.....	42	GSBOT1622 (HP).....	23
B30WVS (HP).....	50	BXWQMP.....	52, 55	GBTD5MTP (HP).....	36	GRBTP60SK.....	29	GRHB22H41.....	42	GSBOT1622LK.....	23
B2436REF (HP).....	48		C	GBTD5MTPLK.....	36	GRBTP60V.....	29	GRT5HTP (HP).....	30	GSBOT1622V.....	23
B2436RES (HP).....	48	CD28.....	91	GBTD5MTPV.....	36	GRC5HTP (HP).....	31	GRT5HTPLK.....	30	GSBOTP20 (HP).....	23
B2442REF (HP).....	48	CPFD1816.....	65	GBTD5TP (HP).....	36	GRC5HTPLK.....	31	GRT5HTPSF.....	30	GSBOTP20LK.....	23
B2442RES (HP).....	48	CPFD1821.....	65	GBTD5TPLK.....	36	GRC5HTPV.....	31	GRT5HTPSK.....	30	GSBOTP20V.....	23
B2448HMF (HP).....	50	CPFD2416.....	65	GBTD5TPV.....	36	GRC5NHTP (HP).....	31	GRT5HTPV.....	30	GSBTP16SF.....	23
B2448HMS (HP).....	51	CPFD2421.....	65	GBTD6MTP (HP).....	36	GRC5NHTPLK.....	31	GRT5NHTP (HP).....	30	GSBTP16SK.....	23
B2448REF (HP).....	48	CPFD3016.....	65	GBTD6MTPLK.....	36	GRC5NHTPV.....	31	GRT5NHTPLK.....	30	GSBTP20 (HP).....	23
B2448RES (HP).....	48	CPFD3021.....	65	GBTD6MTPV.....	36	GRC5NTP (HP).....	31	GRT5NHTPSF.....	30	GSBTP20LK.....	23
B2460REF (HP).....	48	CPFD1816.....	65	GBTD6TP (HP).....	36	GRC5NTPLK.....	31	GRT5NHTPSK.....	30	GSBTP20SF.....	23
B2460RES (HP).....	48	CPFD1821.....	65	GBTD6TPLK.....	36	GRC5NTPV.....	31	GRT5NHTPV.....	30	GSBTP20SK.....	23
B2460TRF (HP).....	49	CPPD2416.....	65	GBTD6TPV.....	36	GRC5TP (HP).....	31	GRT5NTP (HP).....	30	GSBTP20V.....	23
B2460TRS (HP).....	49	CPPD2421.....	65	GDCB36H28.....	36	GRC5TPLK.....	31	GRT5NTPLK.....	30	GSBTP22 (HP).....	23
B2466TRF (HP).....	49	CPPD3016.....	65	GDH426029 (HP).....	37	GRC5TPV.....	31	GRT5NTPSF.....	30	GSBTP22LK.....	23
B2466TRS (HP).....	49	CPPD3021.....	65	GDH426036 (HP).....	37	GRC6TP (HP).....	31	GRT5NTPSK.....	30	GSBTP22SF.....	23
B2472REF (HP).....	48	CU1816.....	65	GDH426041 (HP).....	38	GRC6TPLK.....	31	GRT5NTPV.....	30	GSBTP22SK.....	23
B2472RES (HP).....	48	CU1821.....	65	GDH427229 (HP).....	37	GRC6TPV.....	31	GRT5TP (HP).....	30	GSBTP22V.....	23
B2472TRF (HP).....	49	CU2416.....	65	GDH427236 (HP).....	37	GRC7TP (HP).....	31	GRT5TPLK.....	30	GSBTP24 (HP).....	25
B2472TRS (HP).....	49	CU2421.....	65	GDH427241 (HP).....	38	GRC7TPLK.....	31	GRT5TPSF.....	30	GSBTP24LK.....	25
B3036REF (HP).....	48	CU3016.....	65	GDH428429 (HP).....	37	GRC7TPV.....	31	GRT5TPSK.....	30	GSBTP24SF.....	25
B3036RES (HP).....	48	CU3021.....	65	GDH428436 (HP).....	37	GRC8MTP (HP).....	33	GRT5TPV.....	30	GSBTP24SK.....	25
B3042REF (HP).....	48	CUP1816.....	66	GDH428441 (HP).....	38	GRC8MTPLK.....	33	GRT6TP (HP).....	30	GSBTP24V.....	25
B3042RES (HP).....	48	CUP1821.....	66	GDH429629 (HP).....	37	GRC8MTPV.....	33	GRT6TPLK.....	30	GSBTP30 (HP).....	25
B3048REF (HP).....	48	CUP2416.....	66	GDH429636 (HP).....	37	GRC8TP (HP).....	31	GRT6TPSF.....	30	GSBTP30LK.....	25
B3048RES (HP).....	48	CUP2421.....	66	GDH429641 (HP).....	38	GRC8TPLK.....	31	GRT6TPSK.....	30	GSBTP30SF.....	25
B3060HMF (HP).....	50	CUP3016.....	66	GDH486029 (HP).....	37	GRC8TPV.....	31	GRT6TPV.....	30	GSBTP30SK.....	25
B3060HMS (HP).....	51	CUP3021.....	66	GDH486036 (HP).....	37	GRC8WTP (HP).....	33	GRT7TP (HP).....	30	GSBTP30V.....	25
B3060REF (HP).....	48	CY1816.....	66	GDH486041 (HP).....	38	GRC8WTPLK.....	33	GRT7TPLK.....	30	GSBTP36 (HP).....	25
B3060RES (HP).....	48	CY1821.....	66	GDH487229 (HP).....	37	GRC8WTPV.....	33	GRT7TPSF.....	30	GSBTP36LK.....	25
B3060TRF (HP).....	49	CY2416.....	66	GDH487236 (HP).....	37	GRC10WTP (HP).....	33	GRT7TPSK.....	30	GSBTP36SF.....	25
B3060TRS (HP).....	49	CY2421.....	66	GDH487241 (HP).....	38	GRC10WTPLK.....	33	GRT7TPV.....	30	GSBTP36SK.....	25
B3066TRF (HP).....	49	CY3016.....	66	GDH488429 (HP).....	37	GRC10WTPV.....	33	GRT8MTP (HP).....	33	GSBTP36V.....	25
B3066TRS (HP).....	49	CY3021.....	66	GDH488436 (HP).....	37	GRC12WTP (HP).....	33	GRT8MTPLK.....	33	GSBTP42 (HP).....	27
B3072REF (HP).....	48	CYP1816.....	66	GDH488441 (HP).....	38	GRC12WTPLK.....	33	GRT8MTPV.....	33	GSBTP42LK.....	27
B3072RES (HP).....	48	CYP1821.....	66	GDH489629 (HP).....	37	GRC12WTPV.....	33	GRT8TP (HP).....	30	GSBTP42SF.....	27
B3072TRF (HP).....	49	CYP2416.....	66	GDH489636 (HP).....	37	GRCDSHMTPLK (HP).....	35	GRT8TPLK.....	30	GSBTP42SK.....	27
B3072TRS (HP).....	49	CYP2421.....	66	GDH489641 (HP).....	38	GRCDSHMTPLK.....	35	GRT8TPSF.....	30	GSBTP42V.....	27
B3636SQF (HP).....	51	CYP3016.....	66	GRB14H25.....	24	GRCDSHMTPV.....	35	GRT8TPSK.....	30	GSBTP2430 (HP).....	26
B3642REF (HP).....	48	CYP3021.....	66	GRB22.....	26, 32	GRCDSHTP (HP).....	35	GRT8TPV.....	30	GSBTP2430LK.....	26
B3648REF (HP).....	48		G	GRB22H15.....	26	GRCDSHTPLK.....	35	GRT8WTP (HP).....	33	GSBTP2430SF.....	26
B3660REF (HP).....	48			GRB22H21.....	26	GRCDSHTPV.....	35	GRT8WTPLK.....	33	GSBTP2430SK.....	26
B3672HMF (HP).....	50			GRB22H26.....	26, 32	GRCDSMTP (HP).....	35	GRT8WTPV.....	33	GSBTP2430V.....	26
B3672REF (HP).....	48			GRB22H35.....	26, 32	GRCDSMTPLK.....	35	GRT10WTP (HP).....	33	GSBTP2436 (HP).....	26
BSFMS.....	52			GRB22H41.....	26, 32	GRCDSMTPV.....	35	GRT10WTPLK.....	33	GSBTP2436LK.....	26
BSWFM.....	52			GRB28.....	28, 34	GRCDS5TP (HP).....	35	GRT10WTPV.....	33	GSBTP2436SF.....	26
BWMD22.....	53			GRB34.....	29	GRCDS5TPLK.....	35	GRT12WTP (HP).....	33	GSBTP2436SK.....	26
BWMS5.....	53			GRBTP24 (HP).....	25	GRCDS5TPV.....	35	GRT12WTPLK.....	33	GSBTP2436V.....	26
BX24KSS (HP).....	54			GRBTP24LK.....	25	GRCDSMTP (HP).....	35	GRT12WTPV.....	33	GSBTP3036 (HP).....	26
BX24WVS (HP).....	54			GRBTP24SF.....	25	GRCDSMTPLK.....	35	GRTD5HMTPLK (HP).....	35	GSBTP3036LK.....	26
BX30KSS (HP).....	54			GRBTP24SK.....	25	GRCDSMTPV.....	35	GRTD5HMTPLK.....	35	GSBTP3036SF.....	26
BX30WVS (HP).....	54			GRBTP24V.....	25	GRCDS6TP (HP).....	35	GRTD5HMTPV.....	35	GSBTP3036SK.....	26
BX36QMP.....	52, 55			GRBTP30 (HP).....	25	GRCDS6TPLK.....	35	GRTD5HTP (HP).....	35	GSBTP3036V.....	26
BX42QMP.....	52, 55			GRBTP30LK.....	25	GRCDS6TPV.....	35	GRTD5HTPLK.....	35	GSBTP3042 (HP).....	27
BX48QMP.....	52, 55			GRBTP30SF.....	25	GRH426029 (HP).....	40	GRTD5HTPV.....	35	GSBTP3042LK.....	27
BX60QMP.....	52, 55			GRBTP30SK.....	25	GRH426036 (HP).....	40	GRTD5MTP (HP).....	35	GSBTP3042SF.....	27
BX66QMP.....	52, 55			GRBTP30V.....	25	GRH426041 (HP).....	40	GRTD5MTPLK.....	35	GSBTP3042SK.....	27
BX72QMP.....	52, 55			GRBTP36 (HP).....	25	GRH427229 (HP).....	40	GRTD5MTPV.....	35	GSBTP3042V.....	27
BX2442RES (HP).....	54			GRBTP36LK.....	25	GRH427236 (HP).....	40	GRTD5TP (HP).....	35	GSBTP3642 (HP).....	27

GSBTP3642LK.....	27	JNRU2460 (HP).....	59	PRTMCD622B.....	85	PTL04.....	86	Z6084RMIL (HP).....	11	Z60264REE (HP).....	9
GSBTP3642SF.....	27	JNRU2466 (HP).....	59	PRTMCD622T.....	85	PTL05.....	86	Z6084RMIM (HP).....	12	Z60264RTE (HP).....	8
GSBTP3642SK.....	27	JNRU2472 (HP).....	59	PRTMCD622W.....	85	PTL08.....	87	Z6084WMIH (HP).....	13	Z60264WE (HP).....	10
GSBTP3642V.....	27	JNRU3054 (HP).....	59	PRTMCD642B.....	85	PTL09.....	87	Z6084WMIL (HP).....	11	Z60288BE (HP).....	7
GSEH426029 (HP).....	41	JNRU3060 (HP).....	59	PRTMCD642T.....	85	PTL10.....	87	Z6084WMIM (HP).....	12	Z60288BW (HP).....	10
GSEH426036 (HP).....	41	JNRU3066 (HP).....	59	PRTMCD642W.....	85	PTL11.....	87	Z6096BE (HP).....	6	Z60288REE (HP).....	9
GSEH426041 (HP).....	41	JNRU3072 (HP).....	59	PRTMCS421B.....	85	PTL12.....	86	Z6096DMIH (HP).....	12	Z60288RTE (HP).....	8
GSEH427229 (HP).....	41	JNTS.....	62	PRTMCS421T.....	85	PTL13.....	86	Z6096DMIL (HP).....	10	Z60288WE (HP).....	10
GSEH427236 (HP).....	41	JNTT2448 (HP).....	59	PRTMCS421W.....	85	PTL14.....	86	Z6096DMIM (HP).....	11	Z361829BD.....	15
GSEH427241 (HP).....	41	JNTT2460 (HP).....	59	PS305002.....	84	PTISL96GB.....	84	Z6096RMIH (HP).....	13	Z361829B0.....	15
GSEH428429 (HP).....	41	JNTT3060 (HP).....	59	PS305057.....	84	PTISL96GW.....	84	Z6096RMIL (HP).....	11	Z361872VB.....	15
GSEH428436 (HP).....	41	JNTT3072 (HP).....	59	PS305102.....	84	PTISL96SP.....	84	Z6096RMIM (HP).....	12	Z367229BT (HP).....	13
GSEH428441 (HP).....	41	K.....		PS305157.....	84	PUSBTRSF.....	87	Z6096WMIH (HP).....	13	Z367236BT (HP).....	14
GSEH429629 (HP).....	41	KEZLCSTR.....	75	PS3525002.....	83	R.....		Z6096WMIL (HP).....	11	Z367242BT (HP).....	14
GSEH429636 (HP).....	41	KEZLIFT.....	75	PS3525057.....	83	R27855.....	67	Z6096WMIM (HP).....	12	Z368429BT (HP).....	13
GSEH429641 (HP).....	41	KP0202.....	82	PS3526002.....	83	R27856.....	68	Z48120BE (HP).....	6	Z368436BT (HP).....	14
GSEH486029 (HP).....	41	KP0203.....	82	PS3526057.....	83	R27857.....	68	Z48120BW (HP).....	9	Z368442BT (HP).....	14
GSEH486036 (HP).....	41	KP0302.....	82	PSDPC22W.....	83	R27858.....	68	Z48120REE (HP).....	8	Z369629BT (HP).....	13
GSEH486041 (HP).....	41	KP0303.....	82	PSDPC32W.....	83	R27859.....	68	Z48120RTE (HP).....	7	Z369636BT (HP).....	14
GSEH487229 (HP).....	41	KPSF02.....	82	PSMA1.....	78	R27860.....	68	Z48144BE (HP).....	6	Z369642BT (HP).....	14
GSEH487236 (HP).....	41	KPSF03.....	82	PSMA2.....	78	R27861.....	68	Z48144BW (HP).....	9	Z481829BD.....	15
GSEH487241 (HP).....	41	KSKF-12.....	81	PSMS.....	78	Z.....		Z48144REE (HP).....	8	Z481829B0.....	15
GSEH488429 (HP).....	41	KSKF-18.....	81	PT9MP3013-1.....	77	Z48BEC.....	13	Z48144RTE (HP).....	7	Z487229BT (HP).....	14
GSEH488436 (HP).....	41	KSKF-21.....	81	PT9MP3013-4.....	77	Z60BEC.....	13	Z48168BE (HP).....	6	Z487236BT (HP).....	14
GSEH488441 (HP).....	41	KSKF-21-W.....	81	PT9MP3013-12.....	77	Z3636SQ (HP).....	6	Z48168BW (HP).....	9	Z487242BT (HP).....	14
GSEH489629 (HP).....	41	KSM02-12.....	81	PT9MP3613-1.....	77	Z4242SQ (HP).....	6	Z48168REE (HP).....	8	Z488429BT (HP).....	14
GSEH489636 (HP).....	41	KSM02-18.....	81	PT9MP3613-4.....	77	Z4848SQ (HP).....	6	Z48168RTE (HP).....	7	Z488436BT (HP).....	14
GSEH489641 (HP).....	41	KSM02-21.....	81	PT9MP3613-12.....	77	Z4860DMIH (HP).....	12	Z48192BE (HP).....	7	Z488442BT (HP).....	14
GSHB19H28.....	42	KSM03-12.....	81	PT9MP4213-1.....	77	Z4860DMIL (HP).....	10	Z48192BW (HP).....	9	Z489629BT (HP).....	14
GSHB19H35.....	42	KSM03-18.....	81	PT9MP4213-4.....	77	Z4860DMIM (HP).....	11	Z48192REE (HP).....	9	Z489636BT (HP).....	14
GSHB19H41.....	42	KSM03-21.....	81	PT9MP4213-12.....	77	Z4860RMIH (HP).....	13	Z48192RTE (HP).....	8	Z489642BT (HP).....	14
GSOB13H25.....	24	KT27M02.....	80	PT9MP4813-1.....	77	Z4860RMIL (HP).....	11	Z48216BE (HP).....	7	Z601829BU.....	15
GWH486029 (HP).....	39	KTMT03.....	80	PT9MP4813-4.....	77	Z4860RMIM (HP).....	12	Z48216BW (HP).....	9	Z721829BU.....	15
GWH486036 (HP).....	39	M.....		PT9MP4813-12.....	77	Z4872DMIH (HP).....	12	Z48216REE (HP).....	9		
GWH486041 (HP).....	39	M393.....	91	PT9MP5413-1.....	77	Z4872DMIL (HP).....	10	Z48216RTE (HP).....	8		
GWH487229 (HP).....	39	M775OLD.....	78	PT9MP5413-4.....	77	Z4872DMIM (HP).....	11	Z48240BE (HP).....	7		
GWH487236 (HP).....	39	M7755MD.....	79	PT9MP5413-12.....	77	Z4872RMIH (HP).....	13	Z48240BW (HP).....	9		
GWH487241 (HP).....	39	MLDTP3224.....	93	PT9MP6013-1.....	77	Z4872RMIL (HP).....	11	Z48240REE (HP).....	9		
GWH488429 (HP).....	39	MLIR30B.....	92	PT9MP6013-4.....	77	Z4872RMIM (HP).....	12	Z48240RTE (HP).....	8		
GWH488436 (HP).....	39	MON1SDEH.....	79	PT9MP6013-12.....	77	Z4884DMIH (HP).....	12	Z48264BE (HP).....	7		
GWH488441 (HP).....	39	MVL13016.....	70	PT9MP6613-1.....	77	Z4884DMIL (HP).....	10	Z48264BW (HP).....	9		
GWH489629 (HP).....	39	MVL13023.....	70	PT9MP6613-4.....	77	Z4884DMIM (HP).....	11	Z48264REE (HP).....	9		
GWH489636 (HP).....	39	N.....		PT9MP6613-12.....	77	Z4884RMIH (HP).....	13	Z48264RTE (HP).....	8		
GWH489641 (HP).....	39	NL23HBF.....	93	PT9MP7213-1.....	77	Z4884RMIL (HP).....	11	Z48288BE (HP).....	7		
H.....		NLMP23BBF.....	93	PT9MP7213-4.....	77	Z4884RMIM (HP).....	12	Z48288BW (HP).....	9		
HTM2446T (HP).....	75	NLMP23BF.....	93	PT9MP7213-12.....	77	Z4896BE (HP).....	6	Z48288REE (HP).....	9		
HTM2458T (HP).....	75	P.....		PT9MP7813-1.....	77	Z4896BW (HP).....	9	Z48288RTE (HP).....	8		
HTM3046T (HP).....	75	PCPU-GT.....	82	PT9MP7813-4.....	77	Z4896DMIH (HP).....	12	Z60120BE (HP).....	7		
HTM3058T (HP).....	75	PCPU-HC.....	82	PT9MP7813-12.....	77	Z4896DMIL (HP).....	10	Z60120BW (HP).....	9		
J.....		PCSN01.....	83	PT9PP3013-1.....	76	Z4896DMIM (HP).....	11	Z60120REE (HP).....	8		
JN5S2424 (HP).....	59	PCSN01E.....	83	PT9PP3013-4.....	76	Z4896REE (HP).....	8	Z60120RTE (HP).....	8		
JN5S3030 (HP).....	59	PEEOCKS.....	90	PT9PP3013-12.....	76	Z4896RMIH (HP).....	13	Z60120WE (HP).....	10		
JNCP.....	62	PEEPD.....	90	PT9PP3613-1.....	76	Z4896RMIL (HP).....	11	Z60144BE (HP).....	7		
JNEC5S.....	60	PEVVM.....	90	PT9PP3613-4.....	76	Z4896RMIM (HP).....	12	Z60144BW (HP).....	9		
JNEC42.....	60	PEWM1.....	90	PT9PP3613-12.....	76	Z4896RTE (HP).....	7	Z60144REE (HP).....	8		
JNEC48.....	60	PEWM1.5.....	90	PT9PP4213-1.....	76	Z5454SQ (HP).....	6	Z60144RTE (HP).....	8		
JNEC54.....	60	PEWM2.....	90	PT9PP4213-4.....	76	Z6060DMIH (HP).....	12	Z60144WE (HP).....	10		
JNEC60.....	60	PEWM2.5.....	90	PT9PP4213-12.....	76	Z6060DMIL (HP).....	10	Z60168BE (HP).....	7		
JNEC66.....	60	PEWM3.....	90	PT9PP4813-1.....	76	Z6060DMIM (HP).....	11	Z60168BW (HP).....	9		
JNEC72.....	60	PEWM3.5.....	90	PT9PP4813-4.....	76	Z6060RMIH (HP).....	13	Z60168REE (HP).....	8		
JNGFP.....	62	PEWM4.....	90	PT9PP4813-12.....	76	Z6060RMIL (HP).....	11	Z60168RTE (HP).....	8		
JNHFS2448 (HP).....	59	PEWM4.5.....	90	PT9PP5413-1.....	76	Z6060RMIM (HP).....	12	Z60168WE (HP).....	10		
JNHFS2454 (HP).....	59	PEWM5.....	90	PT9PP5413-4.....	76	Z6060SQ (HP).....	6	Z60192BE (HP).....	7		
JNHFS3060 (HP).....	59	PEWM5.5.....	90	PT9PP5413-12.....	76	Z6060WMIH (HP).....	13	Z60192BW (HP).....	10		
JNHFS3066 (HP).....	59	PMDEA3MG.....	89	PT9PP6013-1.....	76	Z6060WMIL (HP).....	11	Z60192REE (HP).....	9		
JNLEG.....	61	PMDEA3VH.....	89	PT9PP6013-4.....	76	Z6060WMIM (HP).....	12	Z60192RTE (HP).....	8		
JNLEG24.....	61	PMDCF3MG.....	88	PT9PP6013-12.....	76	Z6072DMIH (HP).....	12	Z60192WE (HP).....	10		
JNLEG30.....	61	PMDCF3VH.....	88	PT9PP6613-1.....	76	Z6072DMIL (HP).....	10	Z60216BE (HP).....	7		
JNMP42.....	60	PMDCCLIPS.....	89	PT9PP6613-4.....	76	Z6072DMIM (HP).....	11	Z60216BW (HP).....	10		
JNMP48.....	60	PMDEA3MG.....	89	PT9PP6613-12.....	76	Z6072RMIH (HP).....	13	Z60216REE (HP).....	9		
JNMP54.....	60	PMDEA3VH.....	89	PT9PP7213-1.....	76	Z6072RMIL (HP).....	11	Z60216RTE (HP).....	8		
JNMP60.....	60	PMDEF3MG.....	88	PT9PP7213-4.....	76	Z6072RMIM (HP).....	12	Z60216WE (HP).....	10		
JNMP66.....	60	PMDEF3VH.....	88	PT9PP7213-12.....	76	Z6072WMIH (HP).....	13	Z60240BE (HP).....	7		
JNMP72.....	60	PMDJ36BK.....	89	PT9PP7813-1.....	76	Z6072WMIL (HP).....	11	Z60240BW (HP).....	10		
JNR2442 (HP).....	59	PMDSA10MG.....	89	PT9PP7813-4.....	76	Z6072WMIM (HP).....	12	Z60240REE (HP).....	9		
JNR2448 (HP).....	59	PMDSA10WH.....	89	PT9PP7813-12.....	76	Z6084DMIH (HP).....	12	Z60240RTE (HP).....	8		
JNR3042 (HP).....	59	PMDSF10MG.....	88	PTL01.....	86	Z6084DMIL (HP).....	10	Z60240WE (HP).....	10		
JNR3048 (HP).....	59	PMDSF10WH.....	88	PTL02.....	86	Z6084DMIM (HP).....	11	Z60264BE (HP).....	7		
JNRU2454 (HP).....	59	PPVST3WF.....	84	PTL03.....	86	Z6084RMIH (HP).....	13	Z60264BW (HP).....	10		

Global offices in Canada

Head Office

560 Supertest Road
Toronto, Ontario
M3J 2M6
T (416) 650-6500

Toronto Sales Office

1350 Flint Road
Toronto, Ontario
M3J 2J7
T (416) 661-3660

Showrooms

Calgary

237 8 Avenue SE, Suite 302
Calgary, Alberta
T2G 5C3
T (403) 250-7770

The Blueprint Montreal

1010 Sainte-Catherine Street W, Mezz 2
Montreal, Quebec
H3B 1E7
T (514) 866-4331

Ottawa

251 Laurier Avenue West, Suite 400
Ottawa, Ontario
K1P 5J6
T (613) 234-2881
Please call ahead to book an appointment.

Edmonton

10158 103 Street NW, Suite 201
Edmonton, Alberta
T5J 0X6
T (780) 444-8922

Toronto

1350 Flint Road
Toronto, Ontario
M3J 2J7
T (416) 661-3660

Vancouver

675 West Hastings Street, Suite 1000
Vancouver, British Columbia
V6B 1N2
T (604) 432-1701

Halifax

1061 Marginal Road, Suite 120
Halifax, Nova Scotia
B3H 4P7
T (902) 422-7434

The Blueprint Toronto

(MetroCentre)
200 Wellington Street West, Suite 1602
Toronto, Ontario
M5V 3C7

Winnipeg

111 Lombard Avenue, Suite 220
Winnipeg, Manitoba
R3B 0T4
T (204) 925-3350



globalfurnituregroup.com